

MISCELLANEOUS

| Part No. | Desc. |
|-----------------|--------------|
| PV13 | 13" Blade |
| PV14 | 14" Blade |
| PV15 | 15" Blade |
| PV16 | 16" Blade |
| PV17 | 17" Blade |
| PV18 | 18" Blade |
| PV19 | 19" Blade |
| PV20 | 20" Blade |
| PV21 | 21" Blade |
| PV22 | 22" Blade |
| PV24 | 24" Blade |
| PV26 | 26" Blade |
| PV28 | 28" Blade |

Premium Grade Wiper Blades
 Premium Wiping Edge
 Stainless Steel Blade Backing
 All Metal, Rust Resistant Frame
 Adapters For Universal Coverage
 Packed In A Re-Closable Hanging Sleeve
 Box Qty. 1



| Part No. | Description |
|-----------------|--------------------|
| OE16 | 16" Element Blade |
| OE17 | 17" Element Blade |
| OE18 | 18" Element Blade |
| OE19 | 19" Element Blade |
| OE20 | 20" Element Blade |
| OE21 | 21" Element Blade |
| OE22 | 22" Element Blade |
| OE24 | 24" Element Blade |
| OE26 | 26" Element Blade |
| OE28 | 28" Element Blade |

ELEMENT BEAM WIPER BLADES
 O.E. fit, form & function
 Designed to provide maximum windshield contact
 Frame less wiper blade
 Smooth, quiet operation
 Quick & easy installation
 Aerodynamic design ensures optimal pressure
 All weather!



99821
Wall Rack For Premium Grade Wiper Blades

A great way to present your wiper blades.
 Holds up to 63 blades on 7 hooks.
 Tough, coated steel.
 Box Qty. 1



MISCELLANEOUS

Plastic Spreaders

Spreaders are available in 3 different sizes. All spreaders are available in either a 12 or 100 package quantity only. Broken package quantities are not available.



4" Plastic Spreaders

| Part No. | Qty. |
|--------------|------|
| 97150 | 100 |
| 97151 | 12 |

5" Plastic Spreaders

| Part No. | Qty. |
|--------------|------|
| 97160 | 100 |
| 97161 | 12 |

6" Plastic Spreaders

| Part No. | Qty. |
|--------------|------|
| 97180 | 100 |
| 97181 | 12 |

Also available: Part No. **97185** Spreader Assortment (4 each of the above sizes)



Disposable Mixing Boards

High quality mixing boards. Masonite board with strap on back for easy holding. Mix on top sheet, then remove for next mixing - 100 sheets per pad. No cleaning required. Save time and money!

| Item No. | Description | Bx Qty. |
|--------------|------------------------------|---------|
| 97145 | 12" x 12" sheets, 100 sheets | 1 |

Plastic Plug Buttons Depressed Center

| Part No. | Hole Size | Head Dia. | Working Thickness | Unit Pkg. |
|---------------|-----------|-----------|-------------------|-----------|
| 405030 | 1/2" | 7/8" | .02-.07" | 100 |
| 405040 | 3/4" | 1-1/8" | .02-.14" | 100 |
| 405050 | 7/8" | 1-1/4" | .02-.10" | 100 |
| 405060 | 1" | 1-3/8" | .04-.10" | 100 |
| 405010 | 1-1/4" | 1-5/8" | .04-.10" | 100 |
| 405070 | 1-1/2" | 1-7/8" | .04-.10" | 100 |



WELD PINS

Lo-oval Copper Plated Steel

By welding these pins to a damaged body panel, a body shop technician can use a gripping tool to pull the dent out of the panel.



Pin Diameter: 2mm (.080")
Length: 2"
Head Diameter: 150"

| | |
|--------------|--------------|
| 12060 | Box Qty. 100 |
| 12064 | Box Qty. 250 |
| 12065 | Box Qty. 500 |


Pin Diameter: 2.5mm (.098")
Length: 2"
Head Diameter: .150"

| | |
|--------------|--------------|
| 12061 | Box Qty. 100 |
| 12062 | Box Qty. 250 |
| 12063 | Box Qty. 500 |

MISCELLANEOUS

Miscellaneous Springs

| Product Number | Unit Pkg. | Overall Length | Coil Length | Coil O.D. | Wire Size |
|----------------|-----------|----------------|-------------|-----------|-----------|
| 475302 | 10 | 4-3/8" | 2-1/2" | 1/2" | 1/16" |
| 475303 | 10 | 1-13/16" | 1-1/2" | 3/8" | 1/32" |
| 475304 | 10 | 5-3/4" | 2-3/8" | 25/32" | 3/64" |



Miscellaneous

40

PLASTIC PUTTY STICK / WINDSHIELD SETTING TOOL

These multi-purpose tools are molded from break-resistant, self-lubricating plastic. The #96111 is beveled to a chisel on one end that can also be used as a scraper.

Can be used as: a putty knife, a paddle for backfilling windshields, a pry bar for removing and installing glass that's set in a rubber channel



277-004

Clip/Trim Combo Wedge Removal Tool
Width: 1"
Length: 8-1/4"
Box Qty. 1



96110 Plastic Putty Stick 6/box
96111 Plastic Putty Stick w/Chisel 6/box



96074
Cut - Out Cold Knife. For cutting sealants from windshields and back-lites. 1 per pkg

Replacement Blades

96066 Heavy Duty Blades (6 pkg.)
96075 Cold Knife Blades (6 pkg.)
96067 Urethane Blades (1 pkg.)

96203

TUBE GRIPPER
A 14-gauge steel tool which will enable you to dispense and apply material supplied in plastic or aluminum tubes. 2-1/2" wide.
Box Qty. 1



97100

3/8" (Brush Width) x 6" Long Acid Brushes
Tin Handle with Horse Hair Bristles
Box Qty. 144

97101

1/2" (Brush Width) x 6" Long Acid Brushes
Tin Handle with Horse Hair Bristles
Box Qty. 144



97000

Micro-Torch
Jet Flame, Wind-proof
45° Angle, Refillable
Box Qty. 1



97135

Aerosol Can Dispenser.
Spray Can Trigger Handle.
Snaps onto most spray cans.
Box Qty. 1



3M-33

3M SUPER 33+ VINYL ELECTRICAL TAPE
Super strong adhesion. Withstands harsh conditions. Protects and insulates.
Each roll: 3/4" x 66 ft. (.007" thick).
Box Qty. 10



MEASURING / MIXING CUPS AND LIDS

Great mixing cups for all your mixing needs. Available in all major brand measurements. Transparent plastic with easy to read measurements. Reusable - print on cups will not wash off. Lids sold separately.

| Item No. | Description | Bx Qty. |
|-------------|------------------------------|---------|
| 908 | 8 oz. Mixing Cup | 100 |
| 908L | 8 oz. Cup Lid | 100 |
| 916 | 16 oz. Mixing Cup | 100 |
| 916L | 16 oz. Cup Lid | 100 |
| 932 | 32 oz. Mixing Cup | 100 |
| 932L | 32 oz. Cup Lid | 100 |
| 980 | 80 oz. (2 1/2 Qt) Mixing Cup | 50 |
| 980L | 80 oz. (2 1/2 Qt) Cup Lid | 50 |



97069 100/BX
97069-50 5000/BX
INDUSTRIAL SINGLE EDGE BLADES
 These single faceted blades provide durability for more abusive applications. Fabricated from surgical steel and are made specifically for auto trim, glass and auto body applications.



97070 100/BX
97070-50 5000/BX
KEEN EDGE - INDUSTRIAL SINGLE EDGE BLADES
 These double faceted blades provide exceptional sharpness for those hard to cut applications. Fabricated from surgical steel and are made specifically for auto trim, glass and auto body applications.



97071
DELUXE HAND RAZOR BLADE SCRAPER
 For use with single edge blades.
 Metal.
 Box Qty. 1



97072
HEAVY DUTY UTILITY KNIFE BLADES
 Two-Notch replacement blades for #97073 Patriot Utility Knife.
 Box Qty. 100



97073
PATRIOT UTILITY KNIFE WITH RETRACTABLE BLADE
 Button retracts blade to 3 positions. Lightweight die cast construction.
 Box Qty. 1

MISCELLANEOUS

AUTO BODY PANEL & GLASS MARKER

The Auto Body Panel & Glass marker writes on the painted surfaces of cars and windows.



- Marks are removed with a damp cloth and glass cleaner.
- Marks will not be removed by rain or snow.
- Safe to use. Meets ASTM D-4236.
- Excellent for making fine, medium or broad sharp lines when needed.
(9.0mm Extra Wide Chisel Tip when rotated makes Fine (1.5mm), Medium (5.0mm) or Broad (9.0mm) lines.)

| | | |
|----------------|--------------------------------------|--------|
| FM00254 | Blue Flowmaster Panel/Glass Marker | 12/box |
| FM00554 | Green Flowmaster Panel/Glass Marker | 12/box |
| FM00854 | Orange Flowmaster Panel/Glass Marker | 12/box |
| FM01054 | Pink Flowmaster Panel/Glass Marker | 12/box |
| FM01154 | Red Flowmaster Panel/Glass Marker | 12/box |
| FM01354 | White Flowmaster Panel/Glass Marker | 12/box |
| FM01454 | Yellow Flowmaster Panel/Glass Marker | 12/box |
| FM05406 | Assorted Colors (6 markers per box) | 1/box |

*(Assortment contains one each of the following:
Pink, White, Green, Red, Blue, Yellow)*

Miscellaneous

40

Z495775

ZENKILL III
Long Shot
Kills wasps, hornets, yellow jackets, bees and other pests.
Net Wt. 13 oz. Aerosol
Box Qty. 12



Z496505

ZENCIRCUIT II
Contact Cleaner
High dielectric strength. Will not harm most plastics, paint or wire insulation like other chlorinated solvents. Cleans, restores, protects. Leaves no residue. fast drying. Non-flammable.
Net Wt. 13 oz. Aerosol
Box Qty. 12



Z495525

ZENATIZE Country Disinfectant
Disinfects and deodorizes surfaces. Prevents mold and mildew on environmental surfaces in your home and in public places. Meets AOAC Efficacy Standards for hospital aerosol disinfectants.
Net Wt. 15 oz. Aerosol
Box Qty. 12



www.srfast.com



MAGIC All Natural Industrial Hand Cleaner

Non-solvent formula eliminates drying and cracking. Contains superior skin emollients and skin conditioners. No dyes or perfume. Contains natural walnut shell scrubbers. Thick concentrated formula reduces hand soap use by up to 75%. Contains the antibacterial ingredient "PCM". Washes away with no greasy residue. No phosphates. *Dispenses with "MAGICDISP" wall dispenser (not included).*

| Item No. | Description | Bx. Qty. |
|------------------|----------------|----------|
| MAGIC | 3.55 Liter Jug | 4 |
| MAGICDISP | Wall Dispenser | 1 |



SCRUB Industrial Hand Cleaner - Fortified With Power Crystals

Non-solvent formula eliminates drying and cracking. Contains superior skin emollients and skin conditioners. Enriched with multiple emollients formulated to promote healthy skin care. Contains the antibacterial ingredient "PCM". Thick concentrated formula reduces hand soap use by up to 75%. Washes away with no greasy residue. No phosphates. *Dispenses with "MAGICDISP" wall dispenser (not included).*

| Item No. | Description | Bx. Qty. |
|--------------|----------------|----------|
| SCRUB | 3.55 Liter Jug | 4 |



MAGICTOWEL

Magic Hand/Surface Towels
9" X 12" Heavy-Duty Waterless,
two-sided wipes.
70 wipes per container.
Box Qty. 6

3603

Odor Eliminator & Air Purifier

Net Weight: 10oz (284g)

- Quickly eliminates odors caused by tobacco smoke, animals, decay, mold, mildew, fungus and more!
- Refreshing scent helps to neutralize odors
- Great for eliminating odors in vehicles, home or office
- Use as needed to quickly eliminate odors

Box Qty. 1



3575

White Lithium Grease
for door latches, strikers,
hood hinges, window
gears, etc.
14 oz. size tub
Box Qty. 12



3577

Ultralube High Tem-
perature Wheel Bearing
Grease For all automotive
wheel bearings including
cars with disc brakes.
16 oz. size tub
Box Qty. 12



3578

Lubrimatic (LMX)
Red Grease
Rated GC-LB by NLGI.
NLGI #2, drop point 510°F
14 oz. Cartridge
Box Qty. 10



3579

Lubrimatic Disc/Drum
Wheel Bearing Grease
14 oz. Cartridge
Rated GC-LB by NLGI.
NLGI #2, drop point 510°F
Meets Ford Spec.
MIC 198-A 14 oz. Cartridge
Box Qty. 10

MISCELLANEOUS

Miscellaneous

40



EAP5-140G
 Hylomar Exhaust Assembly Paste
 Seals & lubricates joints during assembly. For efficient leak-proof exhaust systems. Ensures gas-tight seal - no carbon monoxide leaks. Vibration resistant. Withstands 1000°C.
 Box Qty. 1



HYRF3
 Hylomar Racing Formula Gasket & Jointing Compound
 Universal Sealant
 Box Qty. 1



3576
 Dry Powdered Graphite Lubricant
 Designed to lubricate locking mechanisms, bolt and screw threads, and much more. When a wet lubricant or grease won't work, Tube-O-Lube is the perfect solution. Packaged in a 0.21 oz squeeze bottle.
 Box Qty. 1



3175
 SUPER GLUE
 Easy to apply and works on both porous and non-porous materials for a strong, tight bond. Super Fast and Strong. Long lasting bond. Works on most surfaces.
 .07 oz tube
 Box Qty. 12



3210
 SUPER GLUE GEL
 "Stays put", will not run on vertical overhead or hard to reach surfaces. Specially formulated to fill gaps. Works on both porous and non-porous materials. Super Fast and Strong. Long lasting bond. Works on most surfaces. .07 oz tube
 Box Qty. 12



U428
 Quick Cure
 Primerless to Auto Glass
 Urethane Adhesive
 Box Qty. 10



THE ORIGINAL SEAM BUSTER

This heavy-duty chisel allows you to easily separate spot welded or bonded panels.



- Save up to 15 minutes per panel replacement.
- For quarter panels, rockers and any other pinchwelds.
- Sharpened on two edges. The sharp edge allows for penetration between panels and the side edge allows for side impact to drive the panels apart without damage.
- Super tough alloy steel.
- Cushioned handle absorbs shock.

ST20015 The Original Seam Buster 1/box




SUPER SEAM BUSTER

- Attached to any air hammer.
- Faster than regular Seam Buster.
- For separating quarter panels, rockers and other pinch welds and bonded door skins.
- Sharpened on two edges for easy penetration and separation of pinchwelds.
- Made of super tough alloy steel with cushioned handle.



ST20017 Super Seam Buster 1/box

Classic BigEasy™ Kit



UNLOCK CAR DOORS WITH EASE

- High visibility pink powder coating. 55 inches long.
- Improved non-marring wedge. Now it's wider, longer and smoother.
- Lock knob lifter for cars with flat lock knobs at the top of the door.
- Paint Protector reduces friction between the car door and the Big Easy.

ST32900 Classic Big Easy Kit 1/box

MISCELLANEOUS

Miscellaneous

40



SPR INSERTION TOOL

The SPR Insertion Tool is a high-grade, hardened steel frame, that uses a 1/2" 20 grade 8 hex bolt, with a magnetic end and center recess to hold the replacement SPR, while inserting it with your 3/4" or 19mm socket using your 1/2" impact wrench.

ST21960 SPR Insertion Tool 1/box



SPR EXTRACTION TOOL

The SPR Extraction Tool is a high-grade, hardened steel frame, that uses a 1/2" 20 grade 8 hex bolt, with a hardened tip, to easily push out a SPR with your 3/4" or 19mm socket using your 1/2" impact wrench.

The SPR Extraction Tool allows the technician to control the repair process without waiting in line for the very expensive hydraulic tools to do the same process.

ST21970 SPR Extraction Tool 1/box

No need for expensive hydraulic tools to remove and insert Self-Piercing Rivets.



Carry your Big Easy kit in style. Convenient pockets to store all your unlocking tools. *Carrying case only - no tools included.*

ST32935 Big Easy Carrying Case 1/box

Skin a door in less than 10 minutes!



DOOR SKINNER

An air hammer driven door skinning tool that is easily affordable.

- Skins doors in less than 10 minutes.
- Saves arm fatigue and time.
- Replaceable head skins at least 10 doors.
- Fits all standard air hammers.
- Durable steel shaft.
- Self-lubricating reinforced nylon head.

ST21890 Skin Zipper

1/box



Step #1

Form edge of door skin to 45 degrees.



Step #2

Finish crimp.

For skinning window flanges.



SKIN ZIPPER 2

The perfect compliment to the original Skin Zipper, the Skin Zipper 2 allows you to hem the narrow window flange with minimal arm fatigue.

- **Step One** allows the technician to form the edge of the door skin to an initial 45 degree angle by holding the tool at a right angle to the door. No hammer and dolly work required.
- **Step Two** allows the technician to complete the final form by using the tool at a 45 degree angle. Two side slots are included for left and right application. When completed minimal finishing may be required on corners and body lines.

ST21894 Skin Zipper 2

1/box



Step #1



Step #2

MISCELLANEOUS

Skin an aluminum door with rope hem in approximately 15 minutes!



DOOR SKINNER - ALUMINUM

The AL Skin Zipper is an air hammer driven door skinning tool with a wider opening for any 1 millimeter aluminum skin and 1.5 millimeter door shell.

Aluminum skins are prone to cracking but the AL Skin Zipper prevents cracking from happening because it produces a rope hem. When completed, minimal finishing may be required on the corners and body lines. The AL Skin Zipper reduces technician arm fatigue from hammer and dolly method. It also allows the technician time to skin the door before the two-part bonding agent has set. The self-lubricating head will skin approximately 10 doors and is easy to replace when it wears out.

ST21892 Aluminum Skin Zipper 1/box



SKIN ZIPPER 2 - ALUMINUM

The AL Skin Zipper 2 allows you to reach tighter areas than the original AL Skin Zipper, perfect for aluminum door window flange openings.

The AL Skin Zipper 2 can now skin the window opening, which could not be done in the past. Its self-lubricating reinforced nylon head will crimp regular or adhesive bonded skins. The AL Skin Zipper 2 hems or crimps the door skin to the door shell at the window opening, in an easy two-step process.

ST21896 Aluminum Skin Zipper 2 1/box



Step #1
Form edge of door skin to 45 degrees



Step #2
Finish crimp.



ANTENNA WRENCH

The missing tool you've been looking for to remove antennas.

- Fits most antenna bezel nuts, domestic and foreign.
- Simple and compact. Compared to a socket set it's easier to carry and use. And it costs much less!
- Rugged steel construction for years of use.

ST21600 Antenna Wrench

1/box



EZ STRIP MOLDING TOOL

New and improved version with a 3" non-marring blade and steel air hammer arbor to remove body side moldings. Durable non-marring wedge design made from polypropylene removes moldings without damaging the molding or scratching paint surfaces. Kit also includes an additional wedge. Wedges can be trimmed to remove moldings embedded in body lines.

- Saves body moldings
- Saves time and materials.
- Reduces body damage.
- Can be ground for special requirements.



ST21542 EZ Strip Molding Tool

1/bx



SURE GRIP TRIM CLIP PLIERS

The easy way to remove trim clips without breaking them.

- Grips the stem of the clip not the head so clips don't break.
- Lever action for faster, easier removal.
- Works on trim pads, hood insulation, etc.

ST21720 Sure Grip Trim Clip Pliers

1/box



THE BUMPER TREE

and, mask, prep and paint, all on The Bumper Tree! The Bumper Tree allows for complete coverage, no more missed spots!

- Tilt while painting to give easy access to top, bottom, front, back and wrap-around ends.
- Openings on covers can be painted from the front and back to assure complete coverage.
- Casters make moving bumper easy!

ST35800 The Bumper Tree

1/box

MISCELLANEOUS

Miscellaneous

40



AUTOBAHN - URETHANE CLEAR 4:1

A slow drying user friendly clearcoat that produces an extremely durable finish. Available in gallons and mixes 4:1 with #AH6370-4, #AH6380-4 and #AH6390-4.

| Prod. No. | Description | Size |
|-----------------|-------------|----------|
| AC9015-1 | Clearcoat | 1 gallon |



| | | |
|-----------------|------------------|---------|
| AH6370-4 | Fast Activator | 1 quart |
| AH6380-4 | Medium Activator | 1 quart |
| AH6390-4 | Slow Activator | 1 quart |



AUTOBAHN - 4:1 GLAMOUR CLEAR 4:1

A 4:1 version of our popular #AC9045-1, 2+1 Glamour Clear. The new favorite clear of discriminating painters for its ease to work with and the finish it provides. Available in gallons and mixes 4:1 with #AH6470-4, #AH6480-4 and #AH6490-4.

| Prod. No. | Description | Size |
|-----------------|-------------|----------|
| AC9044-1 | Clearcoat | 1 gallon |



| | | |
|-----------------|------------------|---------|
| AH6470-4 | Fast Activator | 1 quart |
| AH6480-4 | Medium Activator | 1 quart |
| AH6490-4 | Slow Activator | 1 quart |



AUTOBAHN EXPRESS CURE CLEAR 4:1

Extremely fast curing high gloss clearcoat able to be buffed in 20 to 40 min. Apply wet on wet (no flash between coats). Perfect for the quickest of jobs. Available in gallons. Mixes 4:1 with #AH6570-4, #AH6580-4 and #AH6590-4.

| Prod. No. | Description | Size |
|-----------------|-------------|----------|
| AC9035-1 | Clearcoat | 1 gallon |



| | | |
|-----------------|------------------|---------|
| AH6570-4 | Fast Activator | 1 quart |
| AH6580-4 | Medium Activator | 1 quart |
| AH6590-4 | Slow Activator | 1 quart |



AUTOBAHN - EURO GLOSS CLEAR 2:1

Euro clearcoat is a premium two component clear that has excellent gloss and DOI in addition to superior durability. Available in five liter cans. Mixes 2:1 with #AH6370-2.5, #AH6380-2.5 and #AH6390-2.5.



| Prod. No. | Description | Size |
|-------------------|-----------------|-----------|
| AC9041-5L | Clearcoat | 5 liter |
| AH6370-2.5 | Fast Catalyst | 2.5 liter |
| AH6380-2.5 | Medium Catalyst | 2.5 liter |
| AH6390-2.5 | Slow Catalyst | 2.5 liter |



AUTOBAHN - 2:1 GLAMOUR CLEAR 2:1

A high solids clearcoat offering superior gloss, outstanding adhesion and excellent durability. Made from premium components. The favorite clear of discriminating painters for its ease to work with and the finish it provides. Available in gallons. Mixes 2:1 with #AH6170-4, #AH6180-4 and #AH6190-4.



| Prod. No. | Description | Size |
|-----------------|------------------|----------|
| AC9045-1 | Clearcoat | 1 gallon |
| AH6170-4 | Fast Activator | 1 quart |
| AH6180-4 | Medium Activator | 1 quart |
| AH6190-4 | Slow Activator | 1 quart |

MISCELLANEOUS

AUTOBAHN - EPOXY PRIMER - BLACK/GRAY

A traditional Epoxy Primer offering superior flexibility and adhesion to virtually all substrates. Has excellent corrosion protection. *Available in gallons and mixes 1:1 with #AP8300.*



| Prod. No. | Description | Size |
|-----------------|----------------|----------|
| AP8316-1 | Primer - Black | 1 gallon |
| AP8320-1 | Primer - Gray | 1 gallon |
| AP8300-1 | Activator | 1 gallon |

AUTOBAHN - SUPER FILL URETHANE PRIMER SURFACER - LIGHT GRAY

A two-component acrylic urethane primer surfacer formulated to be applied as a high build sanding primer, or a final non-sanding primer/sealer. Offers excellent filling properties with minimal coats, fast dry, excellent adhesion, easy sanding and superior color holdout. *Available in gallons and mixes 4:1 with either #AH6075-4, or #AH6085-4.*



| Prod. No. | Description | Size |
|-----------------|-----------------|----------|
| AP8030-1 | Primer | 1 gallon |
| AH6075-4 | Fast Catalyst | 1 quart |
| AH6085-4 | Medium Catalyst | 1 quart |

AUTOBAHN - EURO PRIME - GRAY

A premium European primer surfacer/sealer designed to be used with Euro Clear's catalysts making them universal. *Available in gallons and mixes 4:1 with either #AH6270-4, #AH6280-4, or #AH6290-4.*



| Prod. No. | Description | Size |
|-----------------|-----------------|----------|
| AP8040-1 | Primer | 1 gallon |
| AH6270-4 | Fast Catalyst | 1 quart |
| AH6280-4 | Medium Catalyst | 1 quart |
| AH6290-4 | Slow Catalyst | 1 quart |

AUTOBAHN - SELF ETCHING PRIMER

A two part primer that chemically protects against the corrosion process. It is recommended for protecting bare metal, galvanized steel and aluminum. #AP8414-1 provides minimal film build for maximum protection.



| Prod. No. | Description | Size |
|-----------------|-------------|----------|
| AP8414-1 | Primer | 1 gallon |
| AP8415-1 | Catalyst | 1 gallon |



AUTOBAHN - UNI-REDUCER - MEDIUM

AR Series reducers are blended from high quality solvents and are compatible with all colored topcoats, clearcoats, and primer surfacers. Medium reducer should be used in a temperature range of 70° to 85° F. Available in gallons.

| Prod. No. | Description | Size |
|-----------------|-------------|----------|
| AR2050-1 | Reducer | 1 gallon |



AUTOBAHN - E-Z BLEND SOLVENT

Used to melt the edges of spot repairs and blend areas to produce an invisible repair. Effective and easy to use. Available in gallons.

| Prod. No. | Description | Size |
|-----------------|-------------|----------|
| AR2150-1 | E-Z Blend | 1 gallon |



AUTOBAHN - AQUA MASK

Aqua Mask is a water based masking agent that replaces the need to mask off with paper and tape, therefore saving time and money in the painting process. For removal, simply rinse with water and sponge or pressure wash if desired. Available in five gallons. NOTE - CPSX-1 (one gallon) has been discontinued)

| Prod. No. | Description | Size |
|----------------|-------------|----------|
| CPSX1-5 | E-Z Blend | 5 gallon |