



# PANEL BLIND RIVETS


## PANEL BLIND RIVETS



Dome Head - Most popular for industrial applications. The low profile head diameter is twice the rivet body diameter, providing adequate bearing surface for nearly all applications.



Large Flange - Provides greater bearing surface for fastening soft and brittle facing materials such as plywood and plastics including, vinyl, etc.



Countersunk - for applications where a flush appearance is required.

*Aluminum Rivets:  
Aluminum Rivet/Aluminum Mandrel  
IFI Grade 11*

*Steel Rivets:  
Plated Steel Rivet/Coated Steel Mandrel  
IFI Grade 30*

100	Part No. / Pkg. Quantity			Rivet Dia	Head Style	Ind. #	Panel Range	Rivet Length	Metal Type
	250	500	1000						
13040	-	13041	-	3/32"	Dome	34	up to 1/4"	3/8"	Aluminum
14020	-	14021	14024	1/8"	Dome	42	up to 1/8"	7/32"	Aluminum
14022	-	14023	14025	1/8"	Lg Flg	42	up to 1/8"	7/32"	Aluminum
34020	-	34021	34022	1/8"	Dome	42	up to 1/8"	7/32"	Steel
14040	-	14041	14044	1/8"	Dome	44	up to 1/4"	3/8"	Aluminum
14042	-	14043	14045	1/8"	Lg Flg	44	up to 1/4"	3/8"	Aluminum
34040	-	34041	34044	1/8"	Dome	44	up to 1/4"	3/8"	Steel
34043	-	34042	-	1/8"	Cntrsнк	44	up to 1/4"	3/8"	Steel
14060	-	14061	14062	1/8"	Dome	46	up to 3/8"	1/2"	Aluminum
34060	-	34061	34062	1/8"	Dome	46	up to 3/8"	1/2"	Steel
14080	-	14081	14082	1/8"	Dome	48	up to 1/2"	11/16"	Aluminum
34080	-	34081	34082	1/8"	Dome	48	up to 1/2"	11/16"	Steel
15040	15041	-	15042	5/32"	Dome	54	up to 1/4"	3/8"	Aluminum
15060	15061	-	-	5/32"	Dome	56	up to 3/8"	1/2"	Aluminum
16020	16021	-	-	3/16"	Dome	62	up to 1/8"	7/32"	Aluminum
16040	16041	-	16042	3/16"	Dome	64	up to 1/4"	3/8"	Aluminum
16060	16061	-	16064	3/16"	Dome	66	up to 3/8"	1/2"	Aluminum
16062	16063	-	16065	3/16"	Lg Flg	66	up to 3/8"	1/2"	Aluminum
16080	16081	-	16084	3/16"	Dome	68	up to 1/2"	11/16"	Aluminum
16082	16083	-	16085	3/16"	Lg Flg	68	up to 1/2"	11/16"	Aluminum
16100	16101	-	16102	3/16"	Dome	610	up to 5/8"	3/4"	Aluminum
16103	-	-	16104	3/16"	Lg Flg	610	up to 5/8"	3/4"	Aluminum

# RIVET GUNS, PARTS, BACKUP WASHERS



## 17000 HEAVY DUTY RIVET GUN

For installing blind rivets ranging in size from 3/32" diameter to 3/16" diameter. Nosepieces are included. Overall length 9-1/2"

- Precision die cast body of high strength aluminum alloy.
- A steel insert into which the working nosepiece is screwed.
- Heat treated carbon steel upper handle.
- Long life jaws.
- A fulcrum pin that cannot rotate.

Box Qty. 1

## REPLACEMENT NOSEPIECES & JAWS

For use with #17000 Heavy Duty Rivet Gun

Product No.    Size

- 17001.....3/32" nosepiece
- 17002.....1/8" nosepiece
- 17003.....5/32" nosepiece
- 17004.....3/16" nosepiece
- 17005 Special Stand-Off Nosepiece.  
*Use with 1/8" stud rivets for moulding clip installations.*
- 17008 Replacement Jaws - one set



All of the above packaged 1 per box



## 17010 ECONOMY RIVET GUN

**Lightweight, versatile and economical.**

Will set 1/8" to 1/4" diameter rivets in all materials. Will also set window regulator and split-rivets with no extra nose piece needed. Heavy Duty construction. Longer handles permit access to hard-to-reach areas. Comes with 1/4", 3/16", and 5/32" nosepieces.

Box Qty. 1

## BACK UP RIVET WASHERS

Steel



HOLE SIZE	DIA.	PROD NO BOX 100	PROD NO BX 1000
1/8" .....	3/8" .....	<b>73400</b> .....	<b>34000</b>
5/32" .....	7/16" .....	<b>73500</b> .....	<b>35000</b>
3/16" .....	1/2" .....	<b>73600</b> .....	<b>36000</b>
1/4" .....	1/2" .....	<b>73800</b> .....	<b>38000</b>
#10 or 3/16 .....	1" .....	<b>312010</b> .....	

(#312010 is a zinc backup/fender washer)



## 17006 BIG DADDY RIVET GUN

Will set all rivets from 5/32" diameter to and including 1/4" diameter. Ideal to set window regulator rivets and glass stop rivets.

- Reduction gear design
- Die cast aluminum body
- Steel insert for nose piece

Box Qty. 1



## 17015

Rivet Gun Nosepiece Extender adapter kit.

For use with #17006 Big Daddy Rivet Gun.

Extends the reach by 2-1/2"

Box Qty. 1



## 17007

Nosepiece for setting 1/4" peel-type rivets with #17006 gun.

Box Qty. 1



## 17009

Replacement Jaws for #17006 rivet gun.

Box Qty. 1 set

# SPECIALTY RIVETS

3 Rivets / Nuts / Etc.

1/8" Diameter

13001 Box 100



**13000**  
Stud Rivet  
Dia.: 1/8"  
Range: up to 1/4"  
Stainless Steel Rivet  
Steel Mandrel  
Narrow Flange for  
Moulding Clips  
Box Qty. 250



**38505**  
N805759-S100  
Dia.: 1/8", Grip: 1/8" - 3/16"  
Black Aluminum Rivet  
Aluminum Mandrel  
Windshield Side Rail  
Ford T-Bird  
Mercury Cougar '89 - UP  
Box Qty. 50



**38507**  
6032856  
Dia.: 1/8", Grip: 5/16" - 3/8"  
Flange Dia.: 3/8"  
Aluminum Rivet (Black)  
Aluminum Mandrel  
Body Side Moulding &  
Universal Applications  
Chrysler  
Box Qty. 25

**38530**

N803933-S101  
Dia.: 1/8"  
Grip: 13/64-9/32"  
Flange Dia.: 15/64"  
Closed End  
Black Aluminum Rivet  
Black Aluminum Mandrel  
Luggage Rack  
Ford  
Box Qty. 50



**38572**

90269-04006  
Dia.: 1/8" (3.2mm)  
Grip: 3/64" - 5/32"  
(1.2mm - 4mm)  
Flange Dia.: 5/16"  
(8mm)  
Aluminum Rivet  
(Plastic Cap) /  
Steel Mandrel  
Lexus '98 - UP  
Box Qty. 10




**38573**

90269-04051  
Dia.: 1/8" (3.2mm)  
Grip: 3/64" - 1/8"  
(1.2mm - 3.4mm)  
Flange Dia.: 15/64" (6mm)  
Aluminum Rivet (Plastic  
Cap) / Steel Mandrel  
Lexus '98 - UP  
Box Qty. 10



**38574**

90269-04050  
Dia: 1/8" (3.2mm)  
Grip: 5/32" - 5/16"  
(4mm - 8mm)  
Flg Dia: 5/16" (8mm)  
Aluminum Rivet (w/ Plastic Cap),  
Steel Mandrel  
Windshield, Side &  
Trunk Moulding  
Lexus GS300, 400,  
430 & SC430 98 - UP  
Box Qty. 15



**38751**

AD43-45BS  
Dia: 1/8"  
Grip: 5/32" - 5/16"  
Flange Dia: 1/4"  
Hole Size: .129"-.142"  
Multi-Grip Type  
Dome Head  
Aluminum Rivet  
Steel Mandrel  
Box Qty. 100



**38522**

N807620-S100  
Dia.: 5/32", Grip: 3/64" - 1/4"  
Flange Dia.: 5/16"  
Split-Type Rivet  
Aluminum Rivet (Black)  
Aluminum Mandrel  
Wheel Openings  
Lincoln '94 - UP  
Box Qty. 25



**38523**

9132667  
Dia: 5/32" (4mm)  
Grip: 9/64" - 3/8"  
(3.6mm - 9.5mm)  
Flg Dia: 7/16" (11.1mm)  
Multi-Grip Type  
Aluminum Rivet  
Stainless Steel Mandrel  
Front & Rear Bumper  
Buick Regal & Verano; Chevy  
Avalanche, Camaro, Cruze,  
Malibu, Sonic & Volt 2010 - UP  
Box Qty. 25



**38524**

92139150  
Dia: 5/32" (4mm)  
Grip: 11/64" - 11/32"  
(4.4mm - 8.5mm)  
Flg. Dia: 9/32" (7.1mm)  
Multi-Grip Type  
Aluminum Rivet  
Stainless Steel Mandrel  
Front Bumper & Grille  
Chevrolet Camaro  
2012 - On  
Box Qty. 25



5/32" Diameter

# SPECIALTY RIVETS

5/32" Diameter



**38525**

9432137, 6032138  
 Dia.: 5/32" Grip: 1/8" - 3/16"  
 Flange Dia.: 5/16"  
 Aluminum Rivet, Steel Mandrel  
 Countersunk Head  
 Trunk Lock Swivel Emblem Rivet  
 Chrysler, GM '73 - UP  
 Box Qty. 25



**38607**

N900-845-01  
 Dia.: 5/32"  
 Grip: 1/4" - 3/8"  
 Flange O.D.: 15/32"  
 Black Aluminum Rivet,  
 Steel Mandrel  
 Wheel Opening  
 Moulding Attachment  
 VW Jetta, Rabbit & Golf  
 Box Qty. 25



**38608**

16715497  
 Dia.: 5/32" Grip: 3/64" - 1/4"  
 Flange Dia.: 15/32"  
 Multi-Grip Type  
 Aluminum Rivet, Steel Mandrel  
 Attaches Support Rails to  
 Load Floor  
 GM  
 Box Qty. 50



**38612**

003-990-94-97  
 Dia.: 5/32" (4mm)  
 Grip: .040 - .275 (1mm - 7mm)  
 Flange Dia.: 5/16" (8mm)  
 Aluminum Rivet  
 Aluminum Mandrel  
 Bumpers  
 Mercedes  
 Box Qty. 25



**38714**

01515-0009U  
 Split-Type Rivet  
 Dia: 5/32" (4mm)  
 Grip: 3/64" - 9/32" (1mm - 7mm)  
 Flange Dia: 5/16" (8mm)  
 Aluminum Rivet (Black)  
 Aluminum Mandrel, Bumper  
 Nissan Pathfinder 2006 - UP  
 Box Qty. 25



**38756**

AD53-55BS  
 Dia: 5/32"  
 Grip: 1/8" - 5/16"  
 Flange Dia: 5/16"  
 Hole Size: .160"-.0173  
 Multi-Grip Type  
 Dome Head  
 Aluminum Rivet  
 Steel Mandrel  
 Box Qty. 50

3/16" Diameter



**36041**

SD64BS, SB6-4  
 Dia: 3/16"  
 Grip: 1/8" - 1/4"  
 Flange Dia: 3/8"  
 Dome Head  
 Steel Rivet, Steel  
 Mandrel  
 Box Qty. 100



**38500**

388664-S100  
 Dia.: 3/16", Grip: 3/8 - 1/2"  
 Flange Dia.: 9/16"  
 Black Aluminum Rivet  
 w/ Aluminum Mandrel  
 Fascia, Bumper, Grille  
 Ford Products '79 - UP  
 Box Qty. 100



**38506**

390428-S100  
 Dia.: 3/16", Grip: 3/8" - 1/2"  
 Flange Dia.: 3/8"  
 Black Aluminum Rivet  
 Black Aluminum Mandrel  
 Closed End  
 Luggage Racks &  
 General Purpose  
 Ford  
 Box Qty. 25

3

Rivets / Nuts / Etc.

# SPECIALTY RIVETS

3/16" Diameter

3 Rivets / Nuts / Etc.

## 38509

9439719  
Dia: 3/16"  
Grip: 1/4" - 3/8"  
Flange Dia: 5/8"  
Steel Rivet,  
Steel Mandrel  
Fascia to  
Underside Bumper  
GM 81 - UP  
Box Qty. 50



## 38511 Box 100

### 38510

25618730, N805592-S100  
Dia.: 3/16"  
Grip: 5/64" - 15/64"  
Flange Dia.: 7/16"  
Black Aluminum Rivet  
Aluminum Mandrel  
Split-Type Rivet  
Wheel House Moulding &  
General Purpose  
Ford, GM  
Box Qty. 25



## 38515

3/16" Diameter Rivet  
Aluminum with up to  
1" Grip Range  
plus a 3/16" Back up Washer  
Ford Bumper Pads  
Box Qty. 25 Sets



## 38575

N804523-S  
Dia.: 3/16"  
Grip: 1/2" - 25/32"  
Flange Dia.: 9/16"  
Aluminum Rivet  
Steel Mandrel  
Attaches Heat Shield  
Ford  
Box Qty. 50

## 38585

22585836, 22641917  
Dia.: 3/16"  
Grip: 1/16" - 17/64"  
Flange Dia.: 3/8"  
Steel Rivet (Black)  
Steel Mandrel (Zinc)  
Rear Side Door  
Outside Handle Attachment  
Cadillac DeVille & Seville,  
Chevy Cavalier &  
Pontiac Sunfire '94 - UP  
Box Qty. 25



## 38710

Dia.: 3/16"  
Grip: 1/16" - 7/16"  
Klik-Lock Structural Rivet  
Steel Rivet,  
Zinc & Yellow Plated Steel Mandrel  
Button Head  
Box Qty. 100



## 38711

Dia: 3/16" (.187)  
Grip: .050 - .187  
Hole Size: .209 - .220  
Trifix Head  
Aluminum Rivet  
Aluminum Mandrel  
Box Qty. 100

## 38712

Dia: 3/16" (.187)  
Grip: .187 - .437  
Hole Size: .177 - .433  
Trifix Head  
Aluminum Rivet  
Aluminum Mandrel  
Box Qty. 100



## 38713

22638717, 90671-SDA-A01  
Dia: 3/16" (4.8mm)  
Grip: 3/64" - 23/64" (1mm - 9mm)  
Flange Diameter: 5/8" (16mm)  
Aluminum Rivet, Aluminum Mandrel  
Bumper Fascia & General Purpose  
GM 1987 - On  
Honda Civic 2016 - UP  
Box Qty. 100



## 38765

Dome Head  
Head Dia: 3/8"  
Diameter: 3/16"  
Grip: 3/8" - 1/2"  
Length: 11/16"  
All Stainless Steel  
Blind Rivet  
Box Qty. 25



# SPECIALTY RIVETS

1/4" Diameter

27999 Box 25



**28000**

6031115, 9436175, 385189-S100  
Peel-Type Rivet  
Dia.: 1/4" Grip: 1/32" - 9/64"  
Flange Dia.: 1/2"  
Aluminum Rivet, Steel Mandrel  
Window Regulators  
GM, Ford, Chrysler '71 - UP  
Box Qty. 100

28002 Box 25




**28001**

6031091, 9437938, 385323-S100  
Peel-Type Rivet  
Dia.: 1/4"  
Grip: 33/64" - 19/32"  
Flange Dia.: 1/2"  
Aluminum Rivet, Steel Mandrel  
Window Regulator  
GM, Ford, Chrysler '76 - UP  
Box Qty. 100



**38044**

Dia.: 1/4"  
Grip: up to 3/8"  
Steel Rivet, Steel Mandrel  
Zinc Plated  
Box Qty. 50



**38060**

AD86ABS, AB8-6A  
Dia: 1/4"  
Grip: 1/4" - 3/8"  
Flange Dia: 1/2"  
Dome Head  
Aluminum Rivet,  
Aluminum Mandrel  
Box Qty. 25

38503 Box 25



**38501**

388442-S100  
Dia.: 1/4"  
Grip: 1/8" - 1/4"  
Flange Dia.: 3/4"  
Black Steel Rivet  
Steel Mandrel  
Bumper Assembly  
Ford Escort & Lynx  
'81 - UP  
Box Qty. 100



**38502**

Dia.: 1/4", Grip: .080" - .375"  
Flange Dia.: 3/4"  
Monobolt Rivet  
Aluminum Rivet  
Aluminum Mandrel  
Box Qty. 25



**38504**

388047-S102  
Dia.: 1/4", Grip: 3/32" - 1/8"  
Flange Dia.: 1/2"  
Peel-Type Rivet  
Black Aluminum Rivet  
Steel Mandrel  
Door Handle  
Ford '81 - UP  
Box Qty. 50

**38527**



15022087  
Dia.: 1/4"  
Grip: 3/64" - 5/64"  
Flange Dia.: 19/32"  
Shoulder Dia.: 13/32"  
Steel Rivet (Zinc)  
Steel Mandrel (Zinc)  
Headlight Retainer  
GM Jimmy, Chevy Blazer  
& Oldsmobile Bravada '98 - UP  
Box Qty. 25



**38535**

3540146  
Blind Rivet  
Dia.: 1/4", Grip: .060 - .083  
Flange Dia.: 3/4"  
Steel Rivet (Zinc)  
Steel Mandrel (Zinc & Yellow)  
Window Channel  
GM '93 - UP  
Box Qty. 15



**38545**

22578214  
Blind Rivet  
Dia.: 1/4", Grip .086" to .129"  
Flange: 1/2"  
Steel Rivet, Steel Mandrel  
Window Regulator  
GM 91 - UP  
Box Qty. 15



**38550**

9437486, 6032926  
Dia.: 1/4", Grip: 9/64" - 3/16"  
Head Dia.: 1/2"  
Aluminum Rivet, Steel Mandrel  
Window Regulator Rivet  
G.M., Chrysler  
Box Qty. 25

**38555**

389268-S100,  
201843399,  
12338153  
Dia.: 1/4"  
Grip: 11/16" - 3/4"  
Flange Dia.: 1/2"  
Peel-Type Rivet  
Aluminum Rivet  
Steel Mandrel  
Window Regulators  
Ford & GM  
Box Qty. 25



3 Rivets / Nuts / Etc.



# SPECIALTY RIVETS

1/4" Diameter (cont)

3 Rivets / Nuts / Etc.



38561 Box 30

**38560**

N806830-S100, 6035201  
 Dia.: 1/4" Grip 3/16" - 3/8"  
 Flange Dia.: 11/16"  
 Black Aluminum Rivet,  
 Aluminum Mandrel  
 Bumper Covers &  
 License Plate Bracket, Ford '92 - UP  
 Air Dam To Fascia, Chrysler '93 - UP  
 Box Qty. 15



**38565**

10204266  
 Dia.: 1/4"  
 Grip: 3/4" - 1"  
 Head Dia.: 1/2"  
 Aluminum Rivet  
 Aluminum Mandrel  
 Trunk Lock Cylinder  
 Pontiac Firebird '95 - '94  
 Box Qty. 10

**38570**

N804193-S100, 9441592,  
 15672713  
 Dia.: 1/4"  
 Grip: 3/32" - 9/64"  
 Flange Dia.: 3/4"  
 Black Aluminum Rivet,  
 Steel Mandrel  
 Front Door Handle &  
 Door Lock Actuator  
 Ford Tempo, Topaz,  
 T-Bird, & Cougar '84 - UP  
 Box Qty. 25



**38580**

N808426-S100  
 Dia.: 1/4"  
 Grip: 1/8" - 1/4"  
 Flange Dia.: 1/2"  
 Black Aluminum Rivet  
 Aluminum Mandrel  
 Bumper Fascia  
 Ford Taurus & Mercury Sable  
 '96 - UP  
 Box Qty. 25

[www.srfast.com](http://www.srfast.com)



Recommended by Ford to replace the Factory Self Piercing Rivets!

**38590**

W702512-S900C  
 Finish: Zinc Clear Trivalent Passivated  
 Dia: 1/4" (6.3mm)  
 Grip: 0.110-0.189" (2.79mm - 4.8mm)  
 Flg Dia: 0.525" (13.3mm)  
 Hole: 0.264-0.272" (6.71-6.91mm)  
 Steel Rivet, Steel Mandrel  
 Cab, Rail, Floor, Pillar, Cowl, Box, Back Panel  
 Ford F150 (Aluminum Body) 2015 - UP  
 Box Qty. 10



Recommended by Ford to replace the Factory Self Piercing Rivets!

**38591**

W702554-S900C  
 Dia: 1/4" (6.3mm)  
 Grip: .268" - .346"  
 (6.8mm - 8.8mm)  
 Flange Dia: 1/2" (13mm)  
 Steel Rivet, Steel Mandrel  
 Cab, Floor, Door, Pillar, Box & Cowl  
 Ford F150 Trucks (with Aluminum Body)  
 2015 - UP  
 Box Qty. 10



Recommended by Ford to replace the Factory Self Piercing Rivets!

**38592**

W707638-S900C  
 Dia: 1/4" (6.3mm)  
 Grip: .060" - .138"  
 (1.5mm - 3.5mm)  
 Flange Dia: 1/2" (13mm)  
 Steel Rivet, Steel Mandrel  
 Cab, Rear Body, Floor, Door, Box,  
 Wheel House & Back Panel  
 Ford F150 Trucks (with Aluminum  
 Body) 2015 - UP  
 Box Qty. 10



Recommended by Ford to replace the Factory Self Piercing Rivets!

**38595**

W708777-S900C, 004-990-16-97  
 Finish: Zinc Clear Trivalent Passivated  
 Dia: 1/4" (6.3mm)  
 Grip: 0.264-0.272" (4.8mm - 6.8mm)  
 Flg Dia: 0.525" (13.3mm)  
 Hole: 0.264-0.272" (6.71-6.91mm)  
 Steel Rivet, Steel Mandrel  
 Cab, Radiator, Rail, Floor, Door, Pillar, Cowl,  
 Box, Back Panel  
 Mercedes 2008 - UP  
 Ford F150 (Aluminum Body) 2015 - UP  
 Box Qty. 10

# SPECIALTY RIVETS

1/4" Diameter (con't)

**38603**

2024778  
 Dia. 1/4"  
 Grip: 1/16" - 1/4"  
 Flange Dia.: 1/2"  
 Steel Rivet (Zinc)  
 Steel Mandrel (Zinc)  
 Front Side Door Window  
 Regulator  
 Chevrolet Lumina APV,  
 Olds, Silhouette & Pontiac  
 Trans Sport '90 - UP  
 Box Qty. 25



**38605**

22643056  
 Dia.: 1/4"  
 Grip: 1/16" - 5/32"  
 Flange Dia.: 1/2"  
 Steel Rivet / Steel Mandrel  
 Zinc & Yellow Dichromate  
 Door Window Regulator Rivet  
 GM '95 - UP  
 Box Qty. 25



**38609**

Dia.: 1/4"  
 Grip: 5/64" - 3/8"  
 Head Dia.: 1/2"  
 High Strength Rivet  
 Box Qty. 25



**38610**

10157547  
 Dia.: 1/4" Grip: 5/64" - 3/8"  
 Flange Dia.: 1/2"  
 Yellow Dichromate Coated  
 Aluminum Rivet, Steel Mandrel  
 Front Door Window Regulator  
 GM APV Vans '90 - UP  
 Box Qty. 10



**38720**

Dia.: 1/4" Grip: 5/64" - 5/8"  
 Klik-Lock Structural Rivet  
 Steel Rivet,  
 Zinc & Yellow Plated Steel Mandrel  
 Button Head  
 Box Qty. 100

**38763**

Dia: 1/4"  
 Grip: 5/64 - 11/32"  
 Head Dia: 1/2"  
 Hole Size: .261"-.275"  
 Rivet Length: 39/64"  
 Dome Head  
 Aluminum Rivet Steel  
 Mandrel  
 Multi-Grip Blind Rivet  
 Box Qty. 25



**38764**

90269-A0005  
 Dia: 1/4" (6.3mm)  
 Grip: 1/16" - 3/16"  
 (1.6mm - 4.8mm)  
 Flange Dia.: 1/2" (13mm)  
 Black Aluminum Rivet  
 Steel Mandrel  
 Fuel Door & General Purpose  
 Toyota 2007 - UP  
 Box Qty. 10



3 Rivets / Nuts / Etc.



# SPECIALTY RIVETS

5mm Diameter

## 38568

90269-05054  
Gas Filler Door  
Blind Rivet  
Rivet: M5  
Flange: 14mm  
G.R.: 3 - 8mm  
Aluminum Rivet  
with Steel Mandrel  
& Plastic Seal  
Toyota Camry '98 - UP  
Box Qty. 10



## 38611

90084-26001  
Dia.: 5mm  
Grip: 3.2mm - 6.3mm  
Flange Dia.: 9.5mm  
Closed End Sealing Type Rivet  
Aluminum Rivet & Mandrel  
Windshield Side Moulding  
Toyota Camry '97 - UP  
Box Qty. 50



## 38620

979878-6  
M5 Rivet, Flange: 12mm  
G.R.: 5.18 - 5.35mm  
Black Plastic Coated  
Aluminum Rivet  
w/Aluminum Mandrel  
Wheel Opening & Bumper  
Leg Retention Style  
Blind Rivet  
Volvo '93 - UP  
Box Qty. 15



## 38569

90269-06013  
Hole: M6 Rivet: M4.8  
Flange: 14mm  
G.R.: 1.6 - 6.35mm  
Aluminum Rivet,  
Steel Mandrel &  
Plastic Seal  
Gas Filler Door  
Blind Rivet  
Toyota Camry '97 - UP  
Lexus IS300 2001  
Box Qty. 15



[www.srfast.com](http://www.srfast.com)


3 Rivets / Nuts / Etc.

6mm Diameter

# NYLON RIVETS




**415600.....Box 25**  
**415800.....Box 100**  
20452072, N803862-S, 6501559  
6.3mm Dia. Nylon Blind Rivet  
Panel Range: 4mm to 10mm  
Flange: 13mm  
G.M., Ford, Chry., General Purpose



**415602.....Box 25**  
**415802.....Box 100**  
14063981, N803043-S, 6500911  
6.3mm Dia. Nylon Blind Rivet  
Panel Range: 4mm to 10mm  
Flange: 17mm  
G.M., Ford, Chry., General Purpose



**415610.....Box 25**  
**415810.....Box 100**  
20421672  
6.63mm Dia. Nylon Blind Rivet  
Panel Range: 2.5mm to 5mm  
Flange: 13mm  
G.M., General Purpose



**415620.....Box 25**  
**415820.....Box 100**  
20433026, 175-853-577A  
6.63mm Dia. Nylon Blind Rivet  
Panel Range: 2.5mm to 5mm  
Flange: 18mm  
G.M., VW, General Purpose



**415630.....Box 25**  
**415830.....Box 100**  
6500898  
5mm Dia. Nylon Blind Rivet  
Panel Range: 6mm to 10mm  
Flange: 12mm  
Chrysler, General Purpose



**415640.....Box 25**  
**415840.....Box 100**  
20432975, 175-853-57701C  
5mm Dia. Nylon Blind Rivet  
Panel Range: 3mm to 6mm  
Flange: 12mm  
G.M., VW, General Purpose

# NYLON RIVETS

3 Rivets / Nuts / Etc.




**415590**

*N-804583S*  
 Super Tough Black Nylon Blind Rivet  
 Rect. Head: 8mm x 15mm  
 Rivet Dia.: 3.96mm  
 Grip: 6 - 10.5mm  
 Rectangular Hole: 8 x 6mm  
 Cowl Vent Grille Retaining  
 Ford Aero Star '86 - UP  
 Box Qty. 25


**415601**

*4630088*  
 Super Tough Black Nylon Blind Rivet  
 Countersunk Head  
 Hole: M6.3, Flange: 17mm  
 G.R.: .7 - 4.5mm  
 Shoulder: 2.0mm  
 Exterior Mouldings,  
 Body Side Mldg Attachment  
 Dodge & Eagle  
 Chrysler "LH" Models '93 - UP  
 Box Qty. 25




**415603**


*46300660*  
 Super Tough Black Nylon Countersunk Blind Rivet  
 Hole: M6.3, Head: 17mm  
 G.R.: .7 - 4.9mm  
 Shoulder: 9mm x 2mm  
 Exterior Mouldings  
 Chrysler "LH" '93 - UP  
 Box Qty. 15



**415604**  
*6500859*  
 Super Tough Black Nylon Blind Rivet w/ Shoulder  
 Hole: M5, Head: 12mm  
 G.R.: 3.0 - 4.5mm  
 Chrysler  
 Box Qty. 25




**415605**  
*6501509*  
 Super Tough Black Nylon Blind Rivet w/ Shoulder  
 Hole: M6.3, Head: 17mm  
 G.R.: 1.0 - 5.0mm  
 Countersunk Shoulder: 4.5mm  
 Body Side Mouldings  
 Chrysler "LH" '93 - UP, Various Models '87 - UP  
 Box Qty. 25




**415645**  
*21094747*  
 5/32" Dia.  
 Nylon Blind Rivet  
 Panel Range: 7/64" - 7/32"  
 Flange: 5/16" x 19/32"  
 G.M.  
 Box Qty. 50



**415650**  
*20423647, N804189S*  
 Black Super Tough Nylon Blind Rivet  
 Hole: 3/16, Flange: 1/2"  
 Grip: 1/16" - 5/32"  
 Ford, GM  
 Box Qty. 25



**415695**  
*N-8062996-S*  
 Black Super Tough Nylon Blind Rivet  
 Hole: M6.3, Head: 17mm  
 Shoulder: 9.5mm  
 Grip: 4 - 10mm  
 Front Stone Deflector  
 Lincoln '90 - UP  
 Box Qty. 25



**416076**  
*51-71-7-002-953-2*  
 6mm Dia.  
 Nylon Blind Rivet  
 Panel Range: 2.5 - 4.8mm  
 Flange: 20mm  
 BMW  
 Box Qty. 25




**96108**  
 Rivet Setter Gun  
 (For Nylon Rivets)  
 For use with nylon (plastic) blind rivets. A durable tool that sets all sizes.  
 Not for use with metal rivets  
 6-1/2" long  
 Box Qty. 1



# RIVET GUNS, ASSORTMENTS

## 222102

Nylon Blind Rivets  
w/ #96108 Rivet Gun  
6 Varieties, 240 pieces



Includes:

415630	..... 5mm Dia.....	6mm-10mm P.R.
415640	..... 5mm Dia.....	3mm-6mm P.R.
415600	..... 6.3mm Dia.....	4mm-10mm P.R.
415610	..... 6.63mm Dia.....	2.5mm-5mm P.R.
415620	..... 6.63mm Dia.....	2.5mm-5mm P.R.
415602	..... 6.3mm Dia.....	4mm-10mm P.R.


(P.R.: Panel Range)



## 222430

Same assortment as above but without the gun.

3 Rivets / Nuts / Etc.



## 222215

Specialty Rivets Assortment  
20 Varieties, 329 pieces

(#99909 20 Compartment  
Drawer included!)

Assortment Includes:

28000	38506	38570	415630
28001	38507	38602	415640
38499	38510	38605	
38503	38530	38620	
38504	38535	415602	
38505	38561	415620	



## 222395

Standard Blind Rivets  
Aluminum Rivet & Mandrel  
12 Varieties, 850 pieces

(#99908 12 Compartment  
Drawer included!)

Assortment Includes:

14021	1/8" x 1/8" Grip	16021	3/16" x 1/8" Grip
14041	1/8" x 1/4" Grip	16041	3/16" x 1/4" Grip
14061	1/8" x 3/8" Grip	16061	3/16" x 3/8" Grip
14081	1/8" x 1/2" Grip	16081	3/16" x 1/2" Grip
15041	5/32" x 1/4" Grip	16063	3/16" Lrg. Flange
15061	5/32" x 3/8" Grip	16083	3/16" Lrg. Flange



## 222397

Specialty Blind Rivets  
Aluminum Rivet & Mandrel  
12 Varieties, 400 pieces

(#99908 20 Compartment  
Drawer included!)

Assortment Includes:

13001	38505
27999	38506
28002	38507
38044	38510
38499	38520
38503	38525


## FLUSH MOUNT BLIND NUT FASTENERS

### HOW IT WORKS


The blind nut, held securely by the tool, is placed into a prepared hole. Upon the tool's actuation, the threaded portion is pulled until the fastener's wall collapse radially outward, clinching it tight against the sheet. The tool is withdrawn, leaving the blind nut ready to receive a bolt or screw. This complete operation takes only a few seconds and can be performed by anyone.




1.  
INSERT BLIND NUT  
INTO PREPARED  
HOLE.



2.  
ENGAGE THE TOOL.



3.  
BLIND NUT  
INSTALLED WITH STANDARD  
HEAD CONFIGURATION.




### LOW CARBON STEEL, ZINC PLATED

THREAD SIZE	PRODUCT NUMBER	BOX QTY.	B MAX.	D REF.	A MAX.	GRIP RANGE	HOLE SIZE	DRILL SIZE (LBS.)	TYPICAL PUSHOUT
6-32	<b>265150</b>	50	.410	.287	.249	.020/.080	.250/.254	1/4"	330
6-32	<b>265155</b>	100	.410	.287	.249	.020/.080	.250/.254	1/4"	330
8-32	<b>265170</b>	50	.410	.287	.249	.020/.080	.250/.254	1/4"	330
8-32	<b>265180</b>	100	.410	.287	.249	.020/.080	.250/.254	1/4"	330
10-24	<b>265200</b>	50	.465	.320	.280	.020/.130	.281/.285	9/32"	500
10-24	<b>265210</b>	100	.465	.320	.280	.020/.130	.281/.285	9/32"	500
10-32	<b>265215</b>	50	.465	.320	.280	.020/.130	.281/.285	9/32"	500
10-32	<b>265216</b>	100	.465	.320	.280	.020/.130	.281/.285	9/32"	500
1/4-20	<b>265010</b>	25	.610	.415	.374	.030/.165	.375/.379	3/8"	510
1/4-20	<b>265060</b>	100	.610	.415	.374	.030/.165	.375/.379	3/8"	510
5/16-18	<b>265020</b>	25	.720	.540	.499	.030/.165	.500/.504	1/2"	800
5/16-18	<b>265110</b>	100	.720	.540	.499	.030/.165	.500/.504	1/2"	800
4MM	<b>265300</b>	50	.410	.287	.249	.020/.080	.250/.254	1/4"	330
4MM	<b>265310</b>	100	.410	.287	.249	.020/.080	.250/.254	1/4"	330
5MM	<b>265320</b>	50	.465	.320	.280	.020/.130	.281/.285	9/32"	500
5MM	<b>265330</b>	100	.465	.320	.280	.020/.130	.281/.285	9/32"	500
6MM	<b>265340</b>	25	.610	.415	.374	.030/.165	.375/.379	3/8"	510
6MM	<b>265350</b>	100	.610	.415	.374	.030/.165	.375/.379	3/8"	510
8MM	<b>265360</b>	25	.720	.540	.499	.030/.165	.500/.504	1/2"	800
8MM	<b>265370</b>	100	.720	.540	.499	.030/.165	.500/.504	1/2"	800


# FLANGED BLIND NUT

## FLANGED BLIND NUT


Flanged blind nuts work the same as flush mount blind nuts, However because of their large diameter heads they offer Extra strength on softer materials.




1. Drill hole to correct diameter, thread fastener onto tool mandrel and insert into hole.




2. Actuate tool to properly set fastener into material.



3. Complete your fastening operation with a bolt or screw with the proper thread.



4. The positive riveting action of blind nuts provide consistent firm fastening. Push-out & shake-loose are virtually eliminated.



### ALUMINUM ONLY


THREAD SIZE	PRODUCT NUMBER	BOX QTY.	A MAX.	B REF.	D MAX.	GRIP RANGE	HOLE SIZE	DRILL SIZE
6-32	<b>266009</b>	50	.438	.325	.189	.010/.075	.189/.193	#12
6-32	<b>266010</b>	100	.438	.325	.189	.010/.075	.189/.193	#12
8-32	<b>266011</b>	50	.500	.357	.221	.075/.120	.221/.226	#2
8-32	<b>266012</b>	100	.500	.357	.221	.075/.120	.221/.226	#2
10-24	<b>266013</b>	50	.594	.406	.250	.080/.130	.250/.254	1/4"
10-24	<b>266014</b>	100	.594	.406	.250	.080/.130	.250/.254	1/4"
10-32	<b>266015</b>	50	.594	.406	.250	.080/.130	.250/.254	1/4"
10-32	<b>266016</b>	100	.594	.406	.250	.080/.130	.250/.254	1/4"
1/4-20	<b>266017</b>	50	.75	.475	.332	.140/.200	.332/.338	Q
1/4-20	<b>266018</b>	100	.75	.475	.332	.140/.200	.332/.338	Q
5/16-18	<b>266021</b>	50	.875	.665	.413	.125/.200	.413/.423	Z
5/16-18	<b>266022</b>	100	.875	.665	.413	.125/.200	.413/.423	Z

### METRIC LARGE FLANGE STEEL BLIND NUT



THREAD SIZE	PRODUCT NUMBER	BOX QTY.	A MAX	B MAX	D MAX	GRIP RANGE	HOLE SIZE
M6-1.0	<b>265355</b>	25	.630" 16mm	.510" 13mm	.356" 9mm	.020-.118" .5-3.0mm	.358" 9.1mm

# RIBBED RIVET NUTS



## RIBBED RIVET NUTS

Steel Yellow Zinc Dichromate

After installation, these rivet nuts provide permanent, captive threads that do not allow loosening under vibration and will not rotate when attached.

Part # 25/bx	Part # 100/bx	Thread Size	A Body Length	B Head Dia.	C Head Height	D Body Dia.	Grip Range		Hole Size Required
							Min	Max	
<b>267320</b> (mm)	<b>267330</b>	M5	.420 10.7	.932 09.9	.028 0.71	.264 06.7	.020 0.50	.130 3.30	17/64
<b>267340</b> (mm)	<b>267350</b>	M6	.580 14.7	.500 12.7	.028 0.71	.390 09.9	.027 .068	.165 .4.19	25/64
<b>267360</b> (mm)	<b>267370</b>	M8	.690 17.5	.685 17.4	.032 0.81	.530 13.5	.027 0.68	.150 3.81	17/32

3 Rivets / Nuts / Etc.

# SPECIALTY NUTSERTS



### 266024

6506104AA  
Zinc & Yellow  
Roof Rack Nutsert  
w/ Sealer Under Head  
M6 - 1.0 Thread  
Head Dia.: 17mm  
Jeep '99 - 2001  
Box Qty. 10



### 266025

6503812, 6504601  
Zinc & Yellow  
Wheel Opening  
Moulding Nutsert  
M5 - .8 Thread  
Head Dia.: 10mm  
Overall Length: 12mm  
Jeep '99 - UP  
Box Qty. 15



### 266030

Zinc & Yellow  
M5- .8 Specialty Insert  
Grip: .5mm - 3.3mm  
Head Dia.: 10mm  
Hex Size: 7mm  
GM  
Box Qty. 15

### 266033

10281487  
Zinc & Yellow  
M6-1.0 Specialty Insert  
Grip: .7mm - 4.2mm  
Head Dia.: 13mm  
Hex Size: 9.5mm (3/8")  
Front Fender  
Buick, Cadillac, Corvette,  
L.D. Truck, Olds Aurora &  
Pontiac '97 - UP  
Box Qty. 15



### 266035

W708513-S437  
Zinc  
M8-1.25  
Specialty Insert  
Grip: .7mm - 3.8mm  
Hd. Dia.: 22mm  
Hex Size: 12.7mm  
Frame Area  
Ford Trucks 2004 - UP  
Box Qty. 15





# BLIND NUT SETTER GUN / KITS

## 265401

Blind Nut Setter Kit (Standard Thread)

Contains: Rivet Nut tool in a molded plastic case; mandrels and nosepieces for 6-32, 8-32, 10-24 and 1/4-20, instructions and wrench. The kit also includes 103 assorted Klik Rivet Nuts and Klik Poly-Nuts.



## 265402

Blind Nut Setter Kit (Metric Thread)

Contains: Rivet Nut tool in a molded plastic case with 4mm, 5mm, 6mm and 8mm mandrels and nosepieces, wrench and instructions. The kit contains 75 assorted Klik Poly-Nuts.

3 Rivets / Nuts / Etc.

## Mandrel & Nosepiece Kits

For use with #265400 Blind Nut Setter Gun.

### STANDARD THREAD (KITS)

Product Number	Thread Size
<b>265405</b> ..... Mandrel & Nosepiece.....	6-32
<b>265406</b> ..... Mandrel & Nosepiece.....	8-32
<b>265407</b> ..... Mandrel & Nosepiece.....	10-32
<b>265408</b> ..... Mandrel & Nosepiece.....	10-24
<b>265409</b> ..... Mandrel Only .....	1/4-20
<b>265411</b> ..... Mandrel Only .....	5/16-18

### METRIC THREAD (KITS)

Product Number	Thread Size
<b>265420</b> ..... Mandrel & Nosepiece.....	4mm
<b>265421</b> ..... Mandrel & Nosepiece.....	5mm
<b>265422</b> ..... Mandrel Only .....	6mm
<b>265423</b> ..... Mandrel Only .....	8mm