

WHEEL WEIGHTS



See Pg. 8-7 for
Wheel Weight Tools

Used on **Chrysler** (all up to 1989)
Ford (all up to 1984)
GM (all up to 1987 - decreasingly used from 1998 to 2000)

| SIZE oz. | PRODUCT NUMBER | | BOX QTY |
|-------------|----------------|--------------|------------|
| | Uncoated | Coated | |
| 1/4 | 93025 | 94025 | 25 |
| 1/2 | 93050 | 94050 | 25 |
| 3/4 | 93075 | 94075 | 25 |
| 1 | 93100 | 94100 | 25 |
| 1-1/4 | 93125 | 94125 | 25 |
| 1-1/2 | 93150 | 94150 | 25 |

PASSENGER CAR WHEEL BALANCING WEIGHTS FOR ALLOY WHEELS

"AW" Series

| SIZE oz. | PRODUCT NUMBER | | BOX QTY |
|-------------|----------------|--------------|------------|
| | Uncoated | Coated | |
| 1-3/4 | 93175 | 94175 | 25 |
| 2 | 93200 | 94200 | 25 |
| 2-1/4 | 93225 | 94225 | 25 |
| 2-1/2 | 93250 | 94250 | 25 |
| 2-3/4 | 93275 | 94275 | 25 |
| 3 | 93300 | 94300 | 25 |



See Pg. 8-7 for
Wheel Weight Tools

Used on **Chrysler** (all from 1990 to 1997, some models changed to LH in 1998)
Ford (all from 1985)
GM (increasingly used starting in 1988. As of 2000, only C5 corvette remains AWN)

| SIZE oz. | PRODUCT NUMBER | | BOX QTY |
|-------------|----------------|--------------|------------|
| | Uncoated | Coated | |
| 1/4 | 89025 | 88025 | 25 |
| 1/2 | 89050 | 88050 | 25 |
| 3/4 | 89075 | 88075 | 25 |
| 1 | 89100 | 88100 | 25 |
| 1-1/4 | 89125 | 88125 | 25 |
| 1-1/2 | 89150 | 88150 | 25 |

PASSENGER CAR WHEEL BALANCING WEIGHTS FOR ALLOY WHEELS

"MC" Series

Formerly coded as "FR" or "CFR"

| SIZE oz. | PRODUCT NUMBER | | BOX QTY |
|-------------|----------------|--------------|------------|
| | Uncoated | Coated | |
| 1-3/4 | 89175 | 88175 | 25 |
| 2 | 89200 | 88200 | 25 |
| 2-1/4 | 89225 | 88225 | 25 |
| 2-1/2 | 89250 | 88250 | 25 |
| 2-3/4 | 89275 | 88275 | 25 |
| 3 | 89300 | 88300 | 25 |



See Pg. 8-7 for
Wheel Weight Tools

Used on **Chrysler LH series** (Intrepid, Concorde, LHS, 300M) and all Mini-Van models since 1998.
Also used on 2000 Neon, 2001 PT Cruiser and 2001 Sebring & Stratus sedans and convertibles.

These weights are coated, specially contoured and have a unique clip design. These weights will provide a flush appearance and are a must to balance any vehicles with flange mounted weights.

| SIZE oz. | PRODUCT NUMBER | BOX QTY |
|-------------|-------------------|------------|
| 1/4 | 98025 | 25 |
| 1/2 | 98050 | 25 |
| 3/4 | 98075 | 25 |
| 1 | 98100 | 25 |
| 1-1/4 | 98125 | 25 |
| 1-1/2 | 98150 | 25 |

PASSENGER CAR WHEEL BALANCING WEIGHTS FOR ALLOY WHEELS

"LH" Series

| SIZE oz. | PRODUCT NUMBER | BOX QTY |
|-------------|-------------------|------------|
| 1-3/4 | 98175 | 25 |
| 2 | 98200 | 25 |
| 2-1/4 | 98225 | 25 |
| 2-1/2 | 98250 | 25 |
| 2-3/4 | 98275 | 25 |
| 3 | 98300 | 25 |

WHEEL WEIGHTS

IMPORT PASSENGER CAR WHEEL BALANCING WEIGHTS FOR ALLOY WHEELS

"FN" Series

Designed for the thicker flange alloy wheels being used on many Japanese vehicles.

Acura since 1990 **Daewoo** since 1999
Honda since 1989 **Infiniti** since 1990
Isuzu since 1997 **Lexus** since 1990
Mazda since 1990 **Nissan** since 1990
Toyota since 1990



See Pg. 8-7 for
Wheel Weight Tools

| SIZE g / oz. | PRODUCT NUMBER | BOX QTY |
|-----------------|-------------------|------------|
| 5g/.17oz | 87005 | 25 |
| 7.5g/.25oz | 87007 | 25 |
| 10g/.35oz | 87010 | 25 |
| 12.5g/.45oz | 87012 | 25 |
| 15g/.50oz | 87015 | 25 |
| 17.5g/.625oz | 87017 | 25 |
| 20g/.70oz | 87020 | 25 |
| 22.5g/.80oz | 87022 | 25 |
| 25g/.90oz | 87025 | 25 |
| 27.5g/.975oz | 87027 | 25 |

| SIZE g / oz. | PRODUCT NUMBER | BOX QTY |
|-----------------|-------------------|------------|
| 30g/1.00oz | 87030 | 25 |
| 32.5g/1.105oz | 87032 | 25 |
| 35g/1.25oz | 87035 | 25 |
| 37.5g/1.275oz | 87037 | 25 |
| 40g/1.40oz | 87040 | 25 |
| 45g/1.60oz | 87045 | 25 |
| 50g/1.75oz | 87050 | 25 |
| 55g/1.95oz | 87055 | 25 |
| 60g/2.10oz | 87060 | 25 |

IMPORT PASSENGER CAR WHEEL BALANCING WEIGHTS FOR ALLOY WHEELS

"IAW" Series

Used on many import car alloy wheels.
They replace most two-piece alloy wheel weight designs commonly found on vehicles manufactured in Europe.

Audi, BMW, Catera, Geo, Hyundai, Jaguar (up to 1996), Kia, Mitsubishi, Subaru, Suzuki, Volvo.



See Pg. 8-7 for
Wheel Weight Tools

| SIZE oz. | PRODUCT NUMBER | | BOX QTY |
|---------------|----------------|--------------|------------|
| | Uncoated | Coated | |
| 1/8 (5gr.) | -- | 92012 | 25 |
| 1/4 (10gr.) | 91025 | 92025 | 25 |
| 1/2 (15gr.) | 91050 | 92050 | 25 |
| 3/4 (20gr.) | 91075 | 92075 | 25 |
| 7/8 (25gr.) | 91087 | 92087 | 25 |
| 1 (30gr.) | 91100 | 92100 | 25 |
| 1-1/4 (35gr.) | 91125 | 92125 | 25 |

| SIZE oz. | PRODUCT NUMBER | | BOX QTY |
|---------------|----------------|--------------|------------|
| | Uncoated | Coated | |
| 1-3/8 (40gr.) | 91137 | 92137 | 25 |
| 1-1/2 (45gr.) | 91150 | 92150 | 25 |
| 1-3/4 (50gr.) | 91175 | 92175 | 25 |
| 2 (55gr.) | 91200 | 92200 | 25 |
| 2-1/4 (60gr.) | 91225 | 92225 | 25 |
| 2-1/2 | -- | -- | 25 |
| 2-3/4 | -- | -- | 25 |
| 3 | -- | -- | 25 |

WHEEL WEIGHTS



TWO-PIECE COATED WHEEL WEIGHTS FOR ALLOY WHEELS ON EUROPEAN PASSENGER WHEELS

"MBN" Series

Original Equipment two-piece weight for Mercedes Benz.

See Pg. 8-7 for
Wheel Weight Tools

| SIZE oz. | PRODUCT NUMBER | BOX QTY |
|-------------|-------------------|------------|
| 5g | 98405 | 25 |
| 10g | 98410 | 25 |
| 15g | 98415 | 25 |
| 20g | 98420 | 25 |
| 25g | 98425 | 25 |
| 30g | 98430 | 25 |
| 35g | 98435 | 25 |
| 40g | 98440 | 25 |

| SIZE oz. | PRODUCT NUMBER | BOX QTY |
|-------------|-------------------|------------|
| 45g | 98445 | 25 |
| 50g | 98450 | 25 |
| 55g | 98455 | 25 |
| 60g | 98460 | 25 |
| 65g | 98465 | 25 |
| 70g | 98470 | 25 |
| 75g | 98475 | 25 |
| 80g | 98480 | 25 |



PASSENGER TRUCK WHEEL BALANCING WEIGHTS FOR ALUMINUM ALLOY WHEELS

"TN" Series

Used on 1988 and newer domestic light trucks with decorative and larger thickness steel wheels. These weights are specially coated to ensure that these decorative steel wheels are not damaged by corrosion.

Chevrolet MC (used on full size pickup, Suburban, Yukon, Tahoe from 2000. Denali & Escalade use MC for 2000).

Ford Expedition (from 1997), F-100, F-150 (from 1997)

Lincoln Navigator (from 1998).

See Pg. 8-7 for
Wheel Weight Tools

| SIZE oz. | PRODUCT NUMBER | BOX QTY |
|-------------|-------------------|------------|
| 1/4 | 98525 | 25 |
| 1/2 | 98550 | 25 |
| 3/4 | 98575 | 25 |
| 1 | 98600 | 25 |
| 1-1/4 | 98625 | 25 |
| 1-1/2 | 98650 | 25 |
| 1-3/4 | 98675 | 25 |
| 2 | 98700 | 25 |
| 2-1/4 | 98725 | 25 |

| SIZE oz. | PRODUCT NUMBER | BOX QTY |
|-------------|-------------------|------------|
| 2-1/2 | 98750 | 25 |
| 2-3/4 | 98775 | 25 |
| 3 | 98800 | 25 |
| 3-1/4 | 98850 | 25 |
| 3-1/2 | 98875 | 25 |
| 3-3/4 | 98900 | 25 |
| 4 | 98950 | 25 |
| 4-1/2 | 98975 | 25 |
| 5 | 99000 | 25 |

WHEEL WEIGHTS

PASSENGER CAR WHEEL BALANCING WEIGHTS FOR CONVENTIONAL STEEL RIMS SIZES 13" - 14" - 15"

Use on all standard passenger car 13" - 15" steel wheels. Clips are plated and batch salt-spray tested to comply with demanding OEM corrosion resistance specifications.



Not Coated

| SIZE oz. | PRODUCT NUMBER | BOX QTY |
|----------|----------------|---------|
| 1/4 | 90025 | 50 |
| 1/2 | 90050 | 50 |
| 3/4 | 90075 | 50 |
| 1 | 90100 | 50 |
| 1-1/4 | 90125 | 50 |
| 1-1/2 | 90150 | 50 |

| SIZE oz. | PRODUCT NUMBER | BOX QTY |
|----------|----------------|---------|
| 1-3/4 | 90175 | 50 |
| 2 | 90200 | 50 |
| 2-1/4 | 90225 | 50 |
| 2-1/2 | 90250 | 50 |
| 2-3/4 | 90275 | 50 |
| 3 | 90300 | 50 |



See Pg. 8-7 for Wheel Weight Tools

IMPORT PASSENGER CAR WHEEL BALANCING WEIGHTS FOR ALLOY WHEELS

Used on Audi (from 1997)
Honda & Acura (all from 1980 to 1989)
Mercedes (all since 1997)
VW (from 1997)



"EN" Coated Series

Also used on many aftermarket alloy wheels with thin rim flanges.

| SIZE oz. | PRODUCT NUMBER | BOX QTY |
|----------|----------------|---------|
| 10g | 98310 | 50 |
| 15g | 98315 | 50 |
| 20g | 98320 | 50 |
| 25g | 98325 | 50 |
| 30g | 98330 | 50 |
| 35g | 98335 | 50 |

| SIZE oz. | PRODUCT NUMBER | BOX QTY |
|----------|----------------|---------|
| 40g | 98340 | 50 |
| 45g | 98345 | 50 |
| 50g | 98350 | 50 |
| 55g | 98355 | 50 |
| 60g | 98360 | 50 |



See Pg. 8-7 for Wheel Weight Tools

IMPORT PASSENGER CAR WHEEL BALANCING WEIGHTS FOR ALLOY WHEELS

ADHESIVE TYPE WEIGHT



"CUC" Coated Series
Crescent Shaped

See Pg. 8-7 for Wheel Weight Tools



Used on European high performance and luxury vehicles equipped with alloy wheels that can not be balanced with clip-on wheel weights. These vehicles are equipped with specialty equipped crescent shaped adhesive wheel weights.

Also used on other wheels without flanges where peak performance is required.

| SIZE oz. | PRODUCT NUMBER | BOX QTY |
|----------|----------------|---------|
| 5g | 99005 | 25 |
| 10g | 99010 | 25 |
| 15g | 99015 | 25 |
| 20g | 99020 | 25 |
| 25g | 99025 | 25 |
| 30g | 99030 | 25 |
| 35g | 99035 | 25 |
| 40g | 99040 | 25 |

| SIZE oz. | PRODUCT NUMBER | BOX QTY |
|----------|----------------|---------|
| 45g | 99045 | 25 |
| 50g | 99050 | 25 |
| 55g | 99055 | 25 |
| 60g | 99060 | 25 |
| 65g | 99065 | 25 |
| 70g | 99070 | 25 |
| 75g | 99075 | 25 |
| 80g | 99080 | 25 |

ADHESIVE WHEEL WEIGHTS

Product No. 93001

1/2" Wide x 6" Long
Segmented Into 1/4 oz. (7 gram) Increments
30 - 3 oz. Strips per Box

Product No. 93002*

Low Profile
3/4" Wide x 6" Long
Segmented Into 1/4 oz. (7 gram) Increments
52 - 3 oz. Strips per Box

Product No. 93003 *Designed for trucks and RV's!*

3/4" Wide x 6" Long
Segmented Into 1/2 oz. (14 gram) Increments
30 - 6 oz. Strips per Box

Product No. 93004 *Designed for trucks and RV's!*

3/4" Wide x 6" Long
Segmented Into 1 oz. (28 gram) Increments
30 - 6 oz. Strips per Box






Product No. 93007*

Low Profile - Nano Steel
3/4" Wide x 6" Long
Segmented Into 1/4 oz. (7 gram) Increments
52 - 3 oz. Strips per Box

Product No. 93010 *Designed for trucks and RV's!*

3/4" Wide x 6" Long
Segmented Into 2 oz. (56 gram) Increments
8 - 12 oz. Strips per Box

- Pre-Cut and pre-taped
- Use where wheel will not accept a clip type weight
- Use on the back side of wheel for appearance
- Clean rim with IES Super Clean before applying



***NOTE:** Use Product No. 93002 or #93007 on imports and sports cars where the brake caliper clearance knocks off standard thickness adhesive type weights.

STEEL Pre-Segmented Adhesive Wheel Weights On A Roll

The perfect option for the environment.
No measuring, no cutting.
Easy to tear paper backing reduces installation time.
OE adhesive - sticks fast and holds longer.



STAND AVAILABLE
#93000

93005

Standard Profile
Steel Adhesive Weight
0.25 Ounce Increments
20 Pounds Per Roll
1,280 Increments Per Roll
Box Qty. 1

93006

Low Profile
Steel Adhesive Weight
5 Gram Increments
16.5 Pounds Per Roll
1,500 Increments Per Roll
Box Qty. 1

93008

Low Profile
Nano Coated Adh. Weight
1/4 oz. Increments
20 Pounds Per Roll
1,250 Increments Per Roll
Box Qty. 1

93009

Standard Profile
Nano Coated Adh. Weight
1/2 oz. Increments
20 Pounds Per Roll
640 Increments Per Roll
Box Qty. 1

WHEEL WEIGHT ASSORTMENTS

The CWW155 and CWW075 assortments include a bin and rack storage system that is color coded to match the cataloging and packaging. This simplifies installation and storage of the installer's wheel weights.



(35.75"W x 8.25"D x 39 "H)

CWW155 **SPECIAL ORDER ONLY**

The CWW155 is the most popular assortment. It contains all seven coated alloy weights needed to balance today's passenger car market and is a practical starter kit for most installers.

Series, Size, & Pieces included:

| | | |
|-----|-----------------|------------|
| AWN | 1/4 oz. - 2 oz. | 200 pieces |
| MCN | 1/4 oz. - 2 oz. | 200 pieces |
| LH | 1/4 oz. - 2 oz. | 200 pieces |
| TN | 1/4 oz. - 2 oz. | 200 pieces |
| IAW | 10 g. - 40 g. | 175 pieces |
| EN | 10 g. - 40 g. | 175 pieces |
| FN | 10 g. - 40 g. | 175 pieces |

TOTAL IN ASSORTMENT 1,325 pieces

Included free in this assortment:

- Alloy Wheel Protector Hammer
- OE Alloy Weight Application Guide
- OE Alloy Application Wall Chart
- Two (2) Passenger Car Rim Gauges
- CWW155 Header Card and Bin Labels

CWW155E **SPECIAL ORDER ONLY**

The CWW155E is the bin and rack storage system for the CWW155. System is color coded to match the cataloging and packaging. *NO WHEEL WEIGHTS/TOOLS*
Box Qty. 1



(36"W x 14.5"D x 67"H)

CWW075 **SPECIAL ORDER ONLY**

The CWW075 is a new master assortment. In addition to the seven coated alloy weights, it includes the standard passenger car steel weights and the coated light truck "TN" series wheel weights.

Series, Sizes, & Pieces included:

| | | |
|-------|-----------------|------------|
| Steel | 1/4 oz. - 3 oz. | 600 pieces |
| AWN | 1/4 oz. - 3 oz. | 300 pieces |
| MCN | 1/4 oz. - 3 oz. | 300 pieces |
| LH | 1/4 oz. - 3 oz. | 300 pieces |
| TN | 1/4 oz. - 3 oz. | 300 pieces |
| IAW | 10 g. - 60 g. | 275 pieces |
| EN | 10 g. - 60 g. | 275 pieces |
| FN | 10 g. - 60 g. | 275 pieces |

TOTAL IN ASSORTMENT 2,625 pieces

Included free in this assortment:

- Alloy Wheel Protector Hammer
- OE Alloy Weight Application Wall Chart
- OE Alloy Weight Application Guide
- Two (2) Passenger Car Rim Gauges
- CWW075 Header Card and Bin Labels

CWW075E **SPECIAL ORDER ONLY**

The CWW075E is the bin and rack storage system for the CWW075. System is color coded to match the cataloging and packaging. *NO WHEEL WEIGHTS/TOOLS*
Box Qty. 1

WHEEL WEIGHT TOOLS/TIRE REPAIR



96116
Wheel weight installation and removal tool. Plastic coated handles.
Box Qty. 1



96118
A wheel weight hammer for coated weights. "Soft Head" design that facilitates the installation and removal of coated wheel weights without damaging the wheel or the special wheel weight coating.
Box Qty. 1



96121
Extra heavy head provides striking force needed to install TAL weights. Small diameter hammer face allows for concentration of this force precisely on the clip.
Box Qty. 1



96122
Primarily used for the large truck steel wheel weights. "Clip Claw" design is ideal for removing weights that have minimum tire/wheel flange clearance.
Box Qty. 1



96123
Heavy duty, hardened steel removal tool makes taking off even the toughest weights easy.
Box Qty. 1



96126
Adhesive wheel weight removal tool.
Box Qty. 1



KX62Y
Tire Marking Crayon (Yellow)
Use to mark on rubber tires prior to repair
Box Qty. 12



KX80221
Tire Marking Paint-stick (Yellow)
Box Qty. 12



KX1208
Tire / Tube Mounting Compound
8lbs.
Box Qty. 4



KX490F
Buffing Solution
Quart
Box Qty. 6



KX491F
Buffing Solution
16 oz. Aerosol
Box Qty. 12



KX507F
Tire Bead Sealer
Quart brush-top can
Box Qty. 6



KX508F
Liner Sealer
16 oz. brush-top can
Box Qty. 6



KX511F
Super Fast Drying Cement
8 oz. brush-top can
Box Qty. 12



KX73
Mounting paste brush for cars / light trucks
Box Qty. 1



KX81501C
Tire Mounting Lubricant Concentrated-Gallon
Box Qty. 4



KX2990
Cotton Lube Swab
Box Qty. 1


WHEEL WEIGHT TOOLS/TIRE REPAIR



Double Rubber Reinforced Radial Patches

Designed for radial and bias tire repair.

| Prod. # | Size | Box Qty. |
|---------|---------------------|----------|
| 11312 | 1-9/16" Mini Round | 10 |
| 11320 | 1-9/16" Mini-Round | 35 |
| 11313 | 2-1/8" Small Round | 10 |
| 11321 | 2-1/8" Small Round | 30 |
| 11314 | 3-1/8" Medium Round | 10 |
| 11322 | 3-1/8" Medium Round | 18 |



Tire Patch/Plugs

| Prod. # | Size | Box Qty. |
|---------|-----------------------------|----------|
| KX386 | 1-1/4" Dia., 1/8" Stem Dia. | 24 |
| KX387 | 1-7/8" Dia., 1/4" Stem Dia. | 25 |
| KX388 | 1-7/8" Dia., 3/8" Stem Dia. | 25 |



KX2PCP

2-Pc Passenger Repair Kit
(50 Repairs)
1/4" Stem units with pilot wire,
2-1/4" Medium round patches
Box Qty. 1 kit



KX2PCT

2-Pc Truck Repair Kit
(25 Repairs)
3/8" Stem units with pilot wire,
3-1/4" Large round patches
Box Qty. 1 kit

KX365 Deluxe Tire Repair Kit/ Temporary Repairs

A popular kit that includes
chrome handle spiral probe,
chrome handle insertion
needle, insertion lube, 50
repair plugs, razor blade,
allen wrench (for tools) and
instruction guide, all in a
heavy-duty molded case.
Box Qty. 1



Tire Plugs

| Prod. # | Size | Box Qty. |
|---------|------------------------------|----------|
| KX361 | 4" Brown Tire Plugs (Thick) | 50 |
| KX370 | 7" Black Tire Plugs (Narrow) | 50 |



KX928
Metal T-Handle
Insertion Tool
Box Qty. 1



11331
Chrome Spiral Probe
Box Qty. 1



KX190
Awl
Screwdriver Handle
Box Qty. 1



KX30
Ball Bearing Stitcher
1 1/4 x 1/8
Box Qty. 1



KX929
Flexible Skiving
Knife
Round End
Box Qty. 1



KX932
Rubber Scraper
Box Qty. 1



KX6014
Brass Brush
Stiff
Box Qty. 1

TIRE REPAIR

8 Wheel Weights / Tire Repair



KX185
Tire Thread Depth Gauge
Reads 0" to 1" in
1/32 increments
Box Qty. 5



KXCC3
Carbide Cutter
1/8" (3mm)
Box Qty. 1



KXCC6
Carbide Cutter
1/4" (6mm)
Use with 1/4" Stems
Box Qty. 1



KXCC8
Carbide Cutter
5/16" (10mm)
Box Qty. 1



KXCC10
Carbide Cutter
3/8" (10mm)
For use with 3/8" Stems
Box Qty. 1



KX34
Buffing Wheel
2-1/2" Dia.
Fine Grit
Box Qty. 1



KXTCW21080
Buffing Rasp
80 Grit
Box Qty. 1



KXRH107
Rubber Hog Buffing Wheel
60 Grit
Dia: 2-1/2"
Width: 1-1/16"
Bore: 3/8"
Box Qty. 1



KXRH109
Rubber Hog Buffing Wheel
36 Grit
Dia: 2-1/2"
Width: 1-1/16"
Bore: 3/8"
Box Qty. 1



KX6066
2-1/4" Threaded
Quick Release Arbor
3/8", 24-T
Box Qty. 1



KX6068
For Use With KXCC6
Quick Release Adapter
w/Set Screws
for 1/4" Shank
Box Qty. 1



KX6068-125
For Use With KXCC3
Quick Release Adapter
w/Set Screws
for 1/8" Shank
Box Qty. 1



KX6069
For Use with KXCC8
Quick Release Adapter
w/Set Screws
for 5/16" Shank
Box Qty. 1



KX5196593
For Use with KXCC10
Quick Release Adapter
w/Set Screws
for 3/8" Shank
Box Qty. 1



VALVES

8 Wheel Weights / Tire Repair



KXCP873K
Low Speed Tire Buffer
QR Chuck
2800 RPM
Box Qty. 1



KX795
Air Vacuum Kit
For dry items,
includes bag
Box Qty. 1



KX3050-RB
Deluxe Tire Spreader Machine
Portable
Box Qty. 1



- 11384** Black plastic valve caps Box Qty. 100
- 11382** Gray plastic valve caps Box Qty. 100
- 11383** Green plastic valve caps Box Qty. 100
- KX40** Chrome valve caps Hex Head Box Qty. 100



Plastic Tire Valve Extenders

| Product No. | Length | Pkg. Qty. |
|--------------|--------|-----------|
| 11510 | 3/4" | 50 |
| 11520 | 1-1/4" | 50 |

Tire Valves



| Industry Number | Rim Hole Size | Length | Prod. No. Pkg. 10 | Prod. No. Pkg. 25 | Prod. No. Pkg. 100 |
|-----------------|---------------|--------|-------------------|-------------------|--------------------|
| TR-413 | .453" | 1-1/4" | 11401 | 11385 | 11390 |
| TR-418 | .453" | 2" | 11402 | 11386 | 11391 |
| TR-423 | .453" | 2-1/2" | 11403 | 11387 | 11392 |
| TR-413 | .453" | 1-1/4" | 11401-500 | (500 pack) | |
| TR-418 | .453" | 2" | 11402-500 | (500 pack) | |

11410

High Pressure Snap-in Valve
Ind. #: TR600HP
Eff. Length: 1.27"
Valve Hole Dia: .453"
Max. Cold Inflation Pressure: 80 psi
Not for use on tire rims that exceed .205" in thickness.
Box Qty. 25



11411

High Pressure Snap-in Valve
Ind. #: TR602HP
Eff. Length: 2" Valve
Hole Dia: .453"
Max. Cold Inflation Pressure: 80 psi
Not for use on tire rims that exceed .205" in thickness.
Box Qty. 25



11412

High Pressure Snap-in Valve
Ind. #: TR801HP
Eff. Length: 1.25"
Valve Hole Dia: .625"
Max. Cold Inflation Pressure: 80 psi
Not for use on tire rims that exceed .205" in thickness.
Box Qty. 25



11413

High Pressure Snap-in Valve
Ind. #: TR802HP
Eff. Length: 2"
Valve Hole Dia: .625"
Max. Cold Inflation Pressure: 80 psi
Not for use on tire rims that exceed .205" in thickness.
Box Qty. 25



VALVES / KITS



KXTR413C
 Chrome
 Snap-in Valve
 Ind. #: TR413 (Chrome)
 Valve Hole Dia: .453"
 Valve Size: 1-1/4" (31mm)
 Box Qty. 25



11415
 Tire Valve Core
 High Temp
 Small Bore (TRC1)
 Box Qty. 25



KX36
 Tire Valve Core
 High Temp
 Large Bore (TRC2)
 Box Qty. 25



KX6-207A
 TPMS Rubber Snap
 In Valve
 80psi max cold inflation
 pressure, Max Speed rating
 115 MPH, T-10 Screw
 Torque 11.5in-lbs
 Box Qty. 1



KX6-208
 TPMS Rubber Snap In Valve
 For Chrysler, Dodge, Fiat, Jeep,
 Mitsubishi, Nissan
 T-10 Screw Torque-12.5 in-lbs
 Box Qty. 1



KX6-234
 TPMS Aluminum Clamp
 In Valve
 115psi max cold inflation
 pressure, Max Speed
 rating 155 MPH, TPMS
 Nut Torque 62in.-lbs. T-10
 Screw Torque 11.5in-lbs
 Box Qty. 1



KX6-124
 TPMS Aluminum Valve
 Service Pack
 Box Qty. 1



KX34500
 TPMS EZ Sensor
 Dual Frequency -
 315 & 433 mhz
 Works w/ Snap-On, OTC,
 MAC, Matco, Schrader,
 NAPA & Bartec
 Box Qty. 1



KX26KNH
 Tire Repair
 Cabinet Kit
 16 items
 Heavy Duty
 Steel Cabinet
 Box Qty. 1

Kit Includes:

- KX2PCP - 2 Piece Passenger Repair Kit
- KXTCW21080 - 80 Carbide Cup Wheel
- KX929 - Flexible Skiving Knife
- KX190 - Awl
- KXCP873K - Low Speed QR Tire Buffer
- KX6068 - QR Adapter 1/4" Shank
- KX6066 - QR Arbor (Threaded)
- KX387 - 1/4 Stem Carbide Cutter 6mm
- KX30 - Ball Bearing Stitcher
- KXCC6 - 1/4 Stem Carbide Cutter
- KX6014 - Brass Bristle Brush
- KX932 - Rubber Tire Scraper
- KX511F - Fast Drying Chemical Cement
- KX508F - Liner Sealer
- KX491F - Aerosol Buffing Solution
- KX795 - Air Vacuum



KX10400001
 TPMS TORQUE KIT
 Allows the technician to install
 the valve and sensor correctly
 making sure all torque
 settings are applied.
 Box Qty. 1

Includes

- Torque Wrench Kit
- Valve Core Torque Tool
- Rubber Grommet Pick Tool
- Sleeve For Torque Wrench
- Torque Tool For Valve and Sensor Assembly
- Rubber Grommet Removal Tool
- T5 and T10 Torx Head
- Valve Core Tool