

S & R FASTENER CO., INC.

<p>NEW</p>  <p>2731 <i>H8 Bulb (Import)</i> H8 Halogen Fog Lamp Bulb 12V, 35Watt Box Qty. 1</p>	<p>NEW</p>  <p>2732 <i>H9 Bulb (Import)</i> H9 Halogen Headlight Bulb 12V, 65Watt Box Qty. 1</p>	<p>NEW</p>  <p>2733 <i>H10 (9145) Bulb (Import)</i> H10 Halogen Fog Lamp Bulb 12V, 45Watt Box Qty. 1</p>	<p>NEW</p>  <p>2735 <i>H11 Bulb (Import)</i> H11 Halogen Fog & Headlight Bulb 12V, 55Watt Box Qty. 1</p>
 <p>3536 <i>For Use with 3538, 3539</i> ColorConnex Green Coupler Type B, 1/4 in FNPT Steel/Aluminum Max Pressure: 300 psi Box Qty. 5</p>	 <p>3537 <i>For Use with 3538, 3539</i> ColorConnex Green Coupler Type B, 1/4 in MNPT Steel/Aluminum Max Pressure: 300 psi Box Qty. 5</p>	 <p>3538 <i>For Use with 3536, 3537</i> ColorConnex Green Plug Type B, 1/4 in FNPT 6061-T6 Aircraft Aluminum Max Pressure: 300 psi Box Qty. 10</p>	 <p>3539 <i>For Use with 3536, 3537</i> ColorConnex Green Plug Type B, 1/4 in MNPT 6061-T6 Aircraft Aluminum Max Pressure: 300 psi Box Qty. 10</p>
 <p>3541 <i>For Use with 3543, 3544</i> ColorConnex Blue Coupler Type C, 1/4 in FNPT Steel/Aluminum Max Pressure: 300 psi Box Qty. 5</p>	 <p>3542 <i>For Use with 3543, 3544</i> ColorConnex Blue Coupler Type C, 1/4 in MNPT Steel/Aluminum Max Pressure: 300 psi Box Qty. 5</p>	 <p>3543 <i>For Use with 3541, 3542</i> ColorConnex Blue Plug Type C, 1/4 in FNPT 6061-T6 Aircraft Aluminum Max Pressure: 300 psi Box Qty. 10</p>	 <p>3544 <i>For Use with 3541, 3542</i> ColorConnex Blue Plug Type C, 1/4 in MNPT 6061-T6 Aircraft Aluminum Max Pressure: 300 psi Box Qty. 10</p>
 <p>3551 <i>For Use with 3553, 3554</i> ColorConnex Red Coupler Type D, 1/4 in FNPT Steel/Aluminum Max Pressure: 300 psi Box Qty. 5</p>	 <p>3552 <i>For Use with 3553, 3554</i> ColorConnex Red Coupler Type D, 1/4 in MNPT Steel/Aluminum Max Pressure: 300 psi Box Qty. 5</p>	 <p>3553 <i>For Use with 3551, 3552</i> ColorConnex Red Plug Type D, 1/4 in FNPT 6061-T6 Aircraft Aluminum Max Pressure: 300 psi Box Qty. 10</p>	 <p>3554 <i>For Use with 3551, 3552</i> ColorConnex Red Plug Type D, 1/4 in MNPT 6061-T6 Aircraft Aluminum Max Pressure: 300 psi Box Qty. 10</p>

S & R FASTENER CO., INC.



3556
For Use with 3558, 3587, 3588
Flexzilla High Flow Coupler
1/4 in. MNPT
Steel/Aluminum
Max Pressure: 300 psi
Box Qty. 5



3558
For Use with 3556, 3586
Flexzilla High Flow
Ball Swivel Plug
1/4 in. MNPT
Nickel Plated Steel
Max Pressure: 300 psi
Box Qty. 10

NEW



3566
H Style Coupler
3/8 in. FNPT
With Buna-N seal
Max Pressure: 300 psi
Box Qty. 1

NEW



3567
H Style Plug
1/4 in. MNPT
Max Pressure: 300 psi
Box Qty. 1



3585
Flexzilla High Flow Kit
Includes 3586, 3587, 3588
Steel/Aluminum
Max Pressure: 300 psi
Box Qty. 1



3586
For Use with 3558, 3587, 3588
Flexzilla High Flow Coupler
1/4 in. FNPT
Steel/Aluminum
Max Pressure: 300 psi
Box Qty. 1



3587
For Use with 3586
Flexzilla High Flow Plug
1/4 in. FNPT
Nickel Plated Steel
Max Pressure: 300 psi
Box Qty. 1



3588
For Use with 3586
Flexzilla High Flow Plug
1/4 in. MNPT
Nickel Plated Steel
Max Pressure: 300 psi
Box Qty. 1

3571
Cyclone Blow Gun Kit
Includes: (2) 6" Extensions
(3) Needle Tips (1 in., 2 in., 3 in.)
Xtreme-Flo Nozzle
Quiet-Flo Nozzle
Rubber Tip
Tip Adapter
Box Qty. 1

The Cyclone Blow Gun features an ergonomically superior gun body for maximum comfort and control which reduces operator fatigue. A variable flow trigger regulates air flow precisely. The Cyclone delivers maximum flow, equal to or greater than the competition. The durable gun body is ideal for extreme use. Unique to the Cyclone is the modular accessory system, allowing you to customize the gun extension length and tips for a given application. Cyclone meets or exceeds OSHA standards.



4087
Flexzilla Enclosed Air Hose Reel
Economical, retractable.
Includes 3/8" x 50 ft hose and
Lead-in hose.
Box Qty. 1

FEATURES:
Auto Retract/Latch Hose Mechanism - Simplifies every job by keeping excess hose out of the work space.
Positive Latching Mechanism - Locks hose automatically in 18 in. intervals.
Durable Construction - Made from durable UV stabilized polypropylene.
Adjustable Hose Stopper - Increase or decrease the length of the hose that remains when hose is fully retracted.
Lead-in Hose Included - 3/8" x 3 ft. 1/4 in. MNPT
Swivel Mount Bracket - Pivots in the direction of your work, reel can be mounted to wall or ceiling.
Flexzilla Models - Includes Flexzilla air hose and lead-in hose.
Bend Restrictor - Prolongs the life of the air hose, featured on ZillaReel models.



S & R FASTENER CO., INC.

4088

Flexzilla Retractable Air Hose Reel
 With Levelwind technology - a unique winding system that automatically layers hose back and forth across the reel ensuring that the hose is coiled smoothly and easily every time.
 Includes 3/8" x 75 ft. hose & 3/8" x 5 ft. Lead-in hose.
 Box Qty. 1

FEATURES:


- Adjustable Hose Stopper** - Increase or decrease the length of the hose that remains when hose is fully retracted.
- Seven Position Locking Bracket** - Reel can swivel freely on a mounting bracket up to 135° or can be locked into place using the locking brace. Up to seven different locking angles can be utilized.
- Latching Mode Switch** - Choose from latching hose every 3 ft. for extended use or switch to free run for immediate automatic rewinding.
- Extra Large Swivel** - A 3/4" swivel reduces flow restrictions and allows for maximum flow.
- Free Standing Base w/Built-in Handle** - Portable! Use freestanding or mounted on wall or ceiling. Flat base allows reel to rest on ground.
- Durable Construction** - Made from durable UV stabilized polypropylene.
- Lead-in Hose Included** - 3/8" x 5 ft. 1/4 in. MNPT
- Flexzilla Models** - Includes Flexzilla air hose and lead-in hose.



Sponge Weatherstrips

Peel-Bak Adhesive
 Neoprene Sponge Weatherstrip

A light-weight closed cell sponge material, Peel-Bak is an easy to apply type of weatherstrip for auto and household use. May also be used on boats, refrigerators or any place a weatherproof, permanent seal is required. Simple to use, just peel back the liner and tape and press into place. No cement or tacking required. Surface must be clean and dry.
 One per package. 50 ft. rolls



THICKNESS	WIDTH	PRODUCT
5/32"	3/8"	5225
5/32"	1/2"	5226
5/32"	3/4"	5227
5/32"	1"	5228
5/16"	3/8"	5229
5/16"	1/2"	5230
5/16"	3/4"	5231
5/16"	1"	5232
7/16"	3/8"	5233
7/16"	1/2"	5234
7/16"	3/4"	5235
7/16"	1"	5236

NEW

SELF-PIERCING RIVETS

Zinc Coated Steel
 Universal



PROD	SIZE	BX QTY
38900	3.3 X 3.5MM	25
38901	3.3 X 4MM	25
38905	5.3 X 4MM	25
38906	5.3 X 5MM	25
38907	5.3 X 6MM	25
38908	5.3 X 7MM	25
38909	5.3 X 8MM	25
38910	5.3 X 9MM	25

222389 SPR Assortment 1

A 99913 box that contains 25 pieces of each SPR number listed above.

NEW



49070
 70 Amp
 Maxi-Fuse
 Brown
 Box Qty. 1

NEW



49080
 80 Amp
 Maxi-Fuse
 Clear
 Box Qty. 1

NEW












85131
 Stainless Steel
 3/8" AN Washer
 ID: 3/8"
 OD: 5/8"
 Thickness: 1/16"
 Box Qty. 100









85260
 410 Hardened Stainless Steel
 Black Zinc Plated
 10-16 x 1"
 Phillips Pan Head
 Self Drilling Screw
 Box Qty. 100

S & R FASTENER CO., INC.

<p>NEW</p>  <p>86570 Stainless Steel 3/16" x 1" Fender Washer Box Qty. 100</p>	<p>NEW</p>  <p>86571 Stainless Steel 1/4" x 1-1/4" Fender Washer Box Qty. 100</p>	<p>NEW</p>  <p>86572 Stainless Steel 5/16" x 1-1/4" Fender Washer Box Qty. 100</p>	<p>NEW</p>  <p>86573 Stainless Steel 3/8" x 1-1/2" Fender Washer Box Qty. 100</p>											
<p>NEW</p>  <p>Excellent puncture resistance and chemical protection, great fit, high tactile sensitivity. Latex-free. Powder free.</p> <p>Textured/Micro-roughened Polymer Coated Ambidextrous</p> <p>Beaded Cuff Latex Free</p> <table border="0"> <thead> <tr> <th>PROD</th> <th>SIZE</th> <th>BX QTY</th> </tr> </thead> <tbody> <tr> <td>96350.....</td> <td>Medium</td> <td>100</td> </tr> <tr> <td>96351.....</td> <td>Large</td> <td>100</td> </tr> <tr> <td>96352.....</td> <td>Extra Large.....</td> <td>100</td> </tr> </tbody> </table> 		PROD	SIZE	BX QTY	96350.....	Medium	100	96351.....	Large	100	96352.....	Extra Large.....	100	<p>NEW</p>  <p>Same as #99807, but with longer legs!</p> <p>99808 Base Stand For #99901, #99902, #99815 Made of prime cold roll steel. Blue Powder Coated, Baked Enamel. 34-1/8" Wide x 12-1/4 Deep x 15" High Box Qty. 1</p>
PROD	SIZE	BX QTY												
96350.....	Medium	100												
96351.....	Large	100												
96352.....	Extra Large.....	100												
 <p>157031 14-10 x 2" Phillips Flat Head Tapping Screw Box Qty. 100</p>	 <p>157032 14-10 x 2-1/2" Phillips Flat Head Tapping Screw Box Qty. 100</p>	 <p>157040 10-12 x 2" Phillips Flat Head Tapping Screw Box Qty. 100</p>	 <p>165100 #14 x 2" Hex Washer Head Self Drilling Screw Box Qty. 100</p>											
<p>NEW</p>  <p>222402 Double-Ended Drill Bit Assortment 12 Double-Ended Drill Bits Four each of 12000, 12018, 12019 Box Qty. 1</p>	<p>NEW</p>  <p>270009 11570654 (Replaces 11589117) Blue Finish Mid Panel Nut Screw Size: #8 (4.20mm) Panel Range: .70 - 2.30mm Hole Size: 8.7mm GM & Various Box Qty. 25</p>	<p>(empty)</p>	 <p>KX6-124 TPMS Aluminum Valve Service Pack Box Qty. 1</p>											

S & R FASTENER CO., INC.

 <p>KX6-207A TPMS Rubber Snap In Valve 80psi max cold inflation pressure Max Speed rating 115 MPH T-10 Screw Torque 11.5 in-lbs Box Qty. 1</p>	 <p>KX6-208 TPMS Rubber Snap In Valve For Chrysler, Dodge, Fiat, Jeep, Mitsubishi, Nissan T-10 Screw Torque-12.5 in-lbs Box Qty. 1</p>	 <p>KX6-234 TPMS Aluminum Clamp In Valve 115psi max cold inflation pressure Max Speed rating 155 MPH TPMS Nut Torque 62in.-lbs. T-10 Screw Torque 11.5 in-lbs Box Qty. 1</p>	 <p>KX34500 TPMS EZ Sensor Dual Frequency - 315 & 433 mhz Works w/ Snap-On, OTC, MAC, Matco, Schrader, NAPA & Bartec Box Qty. 1</p>
 <p>KX10400001 TPMS TORQUE KIT Allows the technician to install the valve and sensor correctly making sure all torque settings are applied. Box Qty. 1</p>	<p><i>Includes</i></p> <ul style="list-style-type: none"> <i>Torque Wrench Kit</i> <i>Valve Core Torque Tool</i> <i>Rubber Grommet Pick Tool</i> <i>Sleeve For Torque Wrench</i> <i>Torque Tool For Valve and Sensor Assembly</i> <i>Rubber Grommet Removal Tool</i> <i>T5 and T10 Torx Head</i> <i>Valve Core Tool</i> 	 <p>KX3050-RB Deluxe Tire Spreader Machine Portable Box Qty. 1</p>	

INTERNATIONAL EPOXIES & SEALERS



INTEGRA-BEIGE / INTEGRA-GRAY POLYMERIC SEALANT/ADHESIVE

A one component polymeric sealant formulated for a wide variety of bonding and sealing applications for the automotive industry. Do not use for windshield or back-glass installations.

Tack free time: under 60 minutes. Paintable in 15 minutes. May be brushed for OEM look.

1564	BEIGE	10.3 fl. oz. cartridge	12/box
1565P	GRAY	10.3 fl. oz. cartridge	12/box

NEW



SPRAYABLE SEAM SEALER GUN

Professional gun for applying Sprayable Seam Sealer. The gun is designed to accept both plastic and aluminum cartridges. The gun is hermetically sealed which avoids hardening of the product when not in use. The adjustments to air and product flow make it possible to duplicate OEM seams, as well as many other beads and patterns. By changing the spray cap, special extrusion nozzles can be attached for easy application of door skin seams and other beads.

- Nickel plated brass body
- Spray cap and extrusion cap included
- Stainless steel needle
- Product flow adjustment
- Air atomization adjustment

1574	Sprayable Seam Sealer Gun	1/Box
-------------	---------------------------	-------

NEW



SPECTRUM SPRAYABLE SEAM SEALER GUN

The Spectrum Sprayable Gun makes it easy to duplicate the OEM finish on seams and provides various beads and textures needed during vehicle body repair work! For single component sealants - aluminum, plastic or carton cartridges as well as bags! Great for: Body Seams, Spoilers, Wheel Wells, Welded Seams, Side Walls, Door Skins, Engine Compartments, Floor 7 Bottom Panels, and more!

1595	Spectrum Sprayable Seam Sealer Gun Kit	1/Box
1597	Internal Spray Nozzle	6/Box
1598	General Purpose Spray Nozzle	6/Box
1599	Flat Nozzle	6/Box



SIPHON GUN KIT

Ideal for spraying autobody coatings. Fits European style 1 liter cans. Create various textures by varying air pressure, spray distance and rhythm. Steel construction, lightweight and durable! Disposable nozzles and dip tubes but may be cleaned and reused. Coating only travels through disposable parts.

Kit includes: gun plus 2 nozzles and 2 dip tubes.

1688	Siphon Gun Kit	1/Box
-------------	----------------	-------

INTERNATIONAL EPOXIES & SEALERS



- Tough Durable Coating
- Flexible & Slip Resistant
- Prevents Corrosion
- Waterproofs
- UV Resistant
- Gun Included (150 fl. oz. kit only)
- Easy To Apply!

BEDLINER PLUS! is a two component textured coating designed for truck beds and any other high impact areas. This aliphatic urethane coating provides superior adhesion, excellent film build, high impact resistance along with outstanding flexibility. One kit will cover up to a 6-1/5 ft. truck bed @ 15 mil. Dispenses using #1688 Applicator Gun. Bonds well to the following properly prepared substrates: existing paint, steel, aluminum, wood, concrete, fiberglass, SMC.

APPLICATIONS: Truck bedliners, undercoating, rocker panel protection, floor pans, trunk lining, truck fender protection, dump trucks beds, recreational vehicles, emergency vehicles, utility trailers, horse trailers, anti-skid floor applications, decks, steps, golf carts, industrial equipment and any high impact areas that need protection!

1820-K150 150 fl. oz. Bedliner PLUS! Kit 1 kit
 Kit includes: 5 - quart cans filled with 24 fl. oz. Bedliner Part A
 1 - quart can filled with 32 fl. oz. Activator Part B
 1 - #1688 Applicator Gun
 1 - measuring cup

1820-K30 30 fl. oz. Bedliner PLUS! Kit (No Gun) 1 kit
 Kit includes: 1 - quart cans filled with 24 fl. oz. Bedliner Part A
 1 - quart can filled with 6 fl. oz. Activator Part B
 1 - measuring cup



ALL IN ONE SELF ETCHING AUTO BODY PRIMER

This primer chemically etches the surface of bare metal to replace the "metal conditioning" step needed for corrosion resistance. Ideal for small rub-throughs. This product can also be used to prime aluminum and galvanized surfaces to prevent top coats from peeling off. This new improved formula works well on plastics, SMC and fiberglass!

Professional Fan Spray
 Fast Drying
 Excellent Adhesion
 Corrosion Resistant

For Steel, Aluminum and Plastic Parts
 For Rigid or Flexible Surfaces
 Chemically Etches to Bare Metal
 Sands Easy With Superior Fill

4186 GREEN 20 oz. size aerosol 12/box
4188 GRAY 20 oz. size aerosol 12/box

INTERNATIONAL EPOXIES & SEALERS



PAINT GUN PAINT REMOVER

A heavy-duty cleaning solvent that is great as a paint gun cleaner. Quickly removes paint overspray from metal surfaces and spray equipment. Also works great for removing grease, adhesives, dirt, and grime.

Quick Action Formula
Heavy Duty
Leaves No Residue

4545 20 oz. size aerosol 12/box

NEW



SUPERTRON III CUT-OFF WHEELS

Space-age grain technology that is designed to stay sharper and last 3 to 4 times longer than the competition! Cuts faster and stays cooler, saving you time and money! SUPERTRON eats Boron! Great for cutting all forms of metal, including Boron, aluminum, steel and galvanized steel. Made in the USA!

Maximum operating speed: 25,000 RPM
Applications: Boron, Steel, Galvanized Steel
Diameter: 3" Center hole: 3/8" Thickness: 1/32" and 1/16"

7015 3" x 1/32" x 3/8" 5/box
7016 3" x 1/16" x 3/8" 5/box
7001 Arbor (1/4" Shank) 1/box



STATIC MIXER NOZZLES

Square static mixing nozzle used with 50ml kits. NOT compatible with ZIP-Tips.

8249 1/4" ID x 20 elements 10/box
NEW 8249-50 1/4" ID x 20 elements 50/box

NEW



SQUARE STATIC MIXERS

Introducing our new shorter square static mixers! Optimizing mix performance in a 20% shorter length than comparable square mixers, our new square static mixers allow the user to get even closer to their applications. Patent-pending design includes material flow path and wedge element improvements. This allows it to deliver improved mix quality in a significantly short length - the shortest of its kind in the marketplace. The shorter length allows users to dispense materials with greater control, resulting higher job quality.

Improved mixing in a shorter length!
30% less retained volume resulting in reduced waste.
Improved adhesive bond strength.

8217 3/8" ID x 17 Element 10/box
8260 3/8" ID x 25 Element 10/box
8260-100 3/8" ID x 25 Element 100/box
8260-1000 3/8" ID x 25 Element 1000/box

INTERNATIONAL EPOXIES & SEALERS

INTER-MIX 20 PANEL BONDING ADHESIVE



INTER-MIX 20 is a 1:1 methacrylate structural adhesive formulated to bond engineered thermoplastics, thermosets, composites and metal structural elements together in any combination. INTER-MIX 20 forms a tough, high-strength, high impact resistant bonds. It features a medium cure time for flexibility in positioning and multiple operations, but provides for faster fixturing. INTER-MIX 20 has outstanding durability and environmental resistance to most common industrial cleaners, fuels, lubricants and environmental conditions. This product is formulated as a non-sag, creamy gel to dispense through static mixer tubes and bulk dispensing equipment. Contains glass beads to prevent adhesive squeeze-out. Tremendous impact resistance.

APPLICATIONS

- Ideal for bonding all types of metal, PVC, Fiberglass, PBT, PPO, ABS, FRT, Polyurethane, Epoxy, Wood, RIM, Nylon, Polyesters, Acrylics, Gelcoats, Styrene, Aluminum, Stainless Steel, Cold Rolled Steel, etc.
- Ideal for Automotive Components, Marine Assemblies, Electronics Enclosures, Appliances, Aerospace Parts, Electrical Components, Furniture, Windmill Assemblies, Exterior Sign and Displays, Plastic & Metal Fabrication, etc.

8430 6.75 fl. oz. kit (200ml) 4/box

each kit includes two #8265 static mixers

NEW



NVH-60 NOISE, VIBRATION, HARSHNESS DAMPENING MATERIAL

IES's NVH-60 dampening material is a 2-component urethane elastomer with excellent acoustical properties. Absorbs shock and vibration. Non-sagging. Will not shrink. Remains flexible with excellent adhesion. An excellent flexible adhesive/sealer. NVH-60 applications throughout the vehicle, including, but not limited to: Between roof bows and roof skin - Between door skin and intrusion beam - Between quarter panel and inner structure - Between hood and deck lid skins and underlying spider frames - Excellent Adhesion to Existing Foam.

Absorbs Shocks and Vibrations
Reduces Noise
Extended Work Time
Remains Flexible
Will Not Shrink

Eliminates Panel Resonance and Panel Flutter
Non Foaming
Excellent Adhesion (even to existing foam!)
Non-Sagging
100% Solids

8445 10 fl. oz. kit (300ml) 4/box

each kit includes three #8265 static mixers

NEW



QUICKIE-FIX 1.5 PLASTIC REPAIR ADHESIVE

A fast-set plastic bonding adhesive used for bonding & repairing small panels, bumper tabs, headlamp buckets, header panels, etc..

Small Panels
Bumper Tabs
Headlamp Buckets
Header Panels

Grills
Consoles
Arm Rest Supports
And much more!!!

8642 1.7 fl. oz. kit (50ml) 6/box

each kit includes three #8249 static mixers

8643 6.76 fl. oz. kit (200ml) 6/box

each kit includes three #8260 static mixers

INTERNATIONAL EPOXIES & SEALERS

NEW

NEW 200ML CARTRIDGES

Exact same product as the 300ml, but now available in a 200ml cartridge!



- | | | |
|-------------|--|-------|
| 8605 | INTER-MIX 10 Bare Metal, Thick-Set
6.75 fl. oz. kit (200ml)
<i>each kit includes two #8260 static mixers</i> | 6/box |
| 8610 | INTER-MIX 30 Self Leveling
6.75 fl. oz. kit (200ml)
<i>each kit includes two #8260 static mixers</i> | 6/box |
| 8611 | INTER-MIX 15 Limited Flow
6.75 fl. oz. kit (200ml)
<i>each kit includes two #8260 static mixers</i> | 6/box |
| 8612 | INTER-MIX 5 Limited Flow
6.75 fl. oz. kit (200ml)
<i>each kit includes two #8260 static mixers</i> | 6/box |
| 8613 | INTER-MIX 15 Flexible
6.75 fl. oz. kit (200ml)
<i>each kit includes two #8260 static mixers</i> | 6/box |
| 8615 | INTER-MIX 45 Door Skin
6.75 fl. oz. kit (200ml)
<i>each kit includes two #8260 static mixers</i> | 6/box |
| 8616 | INTER-MIX 5 High Stress
6.75 fl. oz. kit (200ml)
<i>each kit includes two #8260 static mixers</i> | 6/box |
| 8617 | INTER-MIX 5 Epoxyflex
6.75 fl. oz. kit (200ml)
<i>each kit includes two #8260 static mixers</i> | 6/box |
| 8651 | INTER-MIX 5sec Flexible Foam
6.75 fl. oz. kit (200ml)
<i>each kit includes two #8260 static mixers</i> | 6/box |
| 8655 | INTER-MIX 10sec Rigid Foam
6.75 fl. oz. kit (200ml)
<i>each kit includes two #8260 static mixers</i> | 6/box |

NEW



200ML PNEUMATIC DUAL COMPONENT APPLICATOR GUN

Exclusively for 200ml cartridges. Side loading frame. True adjustable air regulator: 100 PSI maximum output, 145 PSI maximum input. Twist and lock plunger system - quick and easy ratio changes. Mix ratio kits included: 1:1, 2:1, 4:1, 10:1

- | | | |
|--------------|------------------------------------|-------|
| 96216 | Pneumatic Applicator gun for 200ml | 1/box |
|--------------|------------------------------------|-------|

NEW



TAPERED BLACK SQUARE SPREADERS

Mixing spreaders with tapered edges gives more flexibility to work with IES repair products. Produces greater control and precision.

Tapered on all four sides!

- | | | |
|--------------|-----------------------------------|---------|
| 97190 | 2-3/4" x 4" Black Square Spreader | 100/box |
|--------------|-----------------------------------|---------|

INTERNATIONAL EPOXIES & SEALERS



FUEL TANK REPAIR KITS

IES Fuel Tank Repair Kit contains the essential chemicals necessary to successfully restore metal fuel tanks. Great for: Motorcycle Tanks, Fuel Tanks, Diesel Tanks, Oil Tanks, Bio-diesel Tanks, Non potable water tanks and more! For steel and aluminum fuel tanks.

The repair procedure is a 4 step process which includes:

1. Cleaning the tank thoroughly
2. Neutralizing the rust and etching the inner surface of the tank
3. Patching holes in the tank
4. Sealing the tank

FTR-5	Fuel Tank Repair Kit - Up to 5 gallons	1 kit
FTR-12	Fuel Tank Repair Kit - Up to 12 gallons	1 kit
FTR-25	Fuel Tank Repair Kit - Up to 25 gallons	1 kit

RECHARGEABLE HOT STAPLER



The Rechargeable Hot Stapler is a compact, hand-held, portable stapler that works with a variety of staples to reinforce and repair splits, cracks and rips in plastic materials. This tool allows the autobody repair professionals and maintenance workshops to repair all kinds of plastic pieces such as: Bumpers, Broken Plastic Fittings, Instrument panels, Headlight Supports and much more. This stapler is very easy to use and allows you to make a quick, secure and effective repair saving time and money.

Kit Includes:

- Rechargeable Hot Stapler
- 120V AC to DC charger
- Storage Box
- 20 each 0.6mm U style steel staples (N090041)
- 20 each 0.8mm U style steel staples (N090042)
- 20 each 0.6mm S style steel staples (N090043)
- 20 each 0.8mm S style steel staples (N090044)
- 20 each 0.7mm M style steel staples (N090074)
- 20 each 0.8mm V style steel staples (N090045)

N900	Rechargeable Hot Stapler Kit	1/box
-------------	------------------------------	-------

ALSO AVAILABLE

N090041	0.6mm U Style Staple (<i>Stitch Tears</i>)	100/box
N090042	0.8mm U Style Staple (<i>Stitch Tears</i>)	100/box
N090043	0.6mm S Style Staple (<i>Stitch Holes</i>)	100/box
N090044	0.8mm S Style Staple (<i>Stitch Holes</i>)	100/box
N090045	0.8mm V Style Staple (<i>Inside Corners</i>)	100/box
N090074	0.7mm M Style Staple (<i>Outside Corners</i>)	100/box

INTERNATIONAL EPOXIES & SEALERS

Amendments to the 2016 IES Catalog:

Page 2	1548	Discontinued	
Page 6	8447	Discontinued	Use 8449
Page 7	4185	Discontinued	Use 4188
	4185	BACK IN STOCK	
Page 8	1703	Discontinued	Use 4700, 1700, 1701, 1702
Page 8	625	Description - BLACK	
Page 8	1793	Discontinued	Use 1790, 1791, 1792
Page 8	70535	Discontinued	Use70528
Page 13	219	Discontinued	
Page 15	1504	Discontinued	
Page 15	96083	Discontinued	
Page 19	1820-K120	Discontinued	Use 1820-K150 (also "K-30" available)
Page 21	4186	Updated Description	See ALL IN ONE TDS or Supplement
Page 21	4185	Discontinued	Use 4188
	4185	BACK IN STOCK	
Page 22	1753	Discontinued	Use 4750, 1750, 1752
Page 22	1703	Discontinued	Use 4700, 1700, 1701, 1702
Page 22	1793	Discontinued	Use 1790, 1791, 1792
Page 27	1976	Discontinued	
Page 27	1988	Discontinued	
Page 27	1974	Discontinued	
Page 27	1964	Discontinued	
Page 31	5201, 5202, 5206, 5210, 5211		Discontinued
Page 31	70760	Discontinued	
Page 32	12200	Discontinued	Use 12210
Page 32	12201	Discontinued	Use 12210
Page 32	12202	Discontinued	Use 12210
Page 34	7179	Box Qty	Now 10 per bx
Page 34	7180	Box Qty	Now 10 per bx
Page 34	7185	Box Qty	Now 10 per bx
Page 34	6999	Discontinued	Use 7015
Page 34	6999-100	Discontinued	Use 7015
Page 34	7000	Discontinued	Use 7016
Page 34	7000-100	Discontinued	Use 7016
Page 36	70580	Updated Description	Blanket now 5' x 7'