

WHEEL WEIGHTS



See Pg. 8-8 for
Wheel Weight Tools

Used on most domestic equipped with alloy rims that were manufactured prior to 1995. Fits many brands like Acura, Buick, Chevrolet, Chrysler, Dodge, Infiniti, Isuzu, Lexus, Oldsmobile & Pontiac.

SIZE oz.	PRODUCT NUMBER		BOX QTY
	Uncoated	Coated	
1/4	93025*	94025	25
1/2	93050	94050	25
3/4	93075	94075	25
1	93100	94100	25
1-1/4	93125	94125	25
1-1/2	93150	94150	25

* The 1/4 oz AW weight is a steel clip on weight - NOT ZINC

PASSENGER CAR WHEEL BALANCING WEIGHTS FOR ALLOY WHEELS

Zn Zinc AW Series

SIZE oz.	PRODUCT NUMBER		BOX QTY
	Uncoated	Coated	
1-3/4	93175	94175	25
2	93200	94200	25
2-1/4	93225	94225	25
2-1/2	93250	94250	25
2-3/4	93275	94275	25
3	93300	94300	25



See Pg. 8-8 for
Wheel Weight Tools

Used on most domestic vehicles equipped with alloy rims. Fits many brands like Buick, Chevrolet, Chrysler, Dodge, Ford, Mazda, Oldsmobile, Pontiac & Saturn.

SIZE oz.	PRODUCT NUMBER		BOX QTY
	Uncoated	Coated	
1/4	89025	88025	25
1/2	89050	88050	25
3/4	89075	88075	25
1	89100	88100	25
1-1/4	89125	88125	25
1-1/2	89150	88150	25

PASSENGER CAR WHEEL BALANCING WEIGHTS FOR ALLOY WHEELS

Zn Zinc MC Series

SIZE oz.	PRODUCT NUMBER		BOX QTY
	Uncoated	Coated	
1-3/4	89175	88175	25
2	89200	88200	25
2-1/4	89225	88225	25
2-1/2	89250	88250	25
2-3/4	89275	88275	25
3	89300	88300	25



See Pg. 8-8 for
Wheel Weight Tools

Used on Chrysler vehicles and is designed to fit their unique alloy rim flange. Fits all Chrysler models and some Dodge & Ram models prior to 2009.

These weights are coated, specially contoured and have a unique clip design. These weights will provide a flush appearance and are a must to balance any vehicles with flange mounted weights.

SIZE oz.	PRODUCT NUMBER	BOX QTY
1/4	98025	25
1/2	98050	25
3/4	98075	25
1	98100	25
1-1/4	98125	25
1-1/2	98150	25

PASSENGER CAR WHEEL BALANCING WEIGHTS FOR ALLOY WHEELS

Zn Zinc LH Series

SIZE oz.	PRODUCT NUMBER	BOX QTY
1-3/4	98175	25
2	98200	25
2-1/4	98225	25
2-1/2	98250	25
2-3/4	98275	25
3	98300	25

WHEEL WEIGHTS

IMPORT PASSENGER CAR WHEEL BALANCING WEIGHTS FOR ALLOY WHEELS

Designed for the thicker flange alloy wheels being used on many Japanese vehicles. Fits many brands like Acura, Honda, Infiniti, Lexus, Nissan & Toyota.



Zn Zinc FN Series

SIZE g / oz.	PRODUCT NUMBER	BOX QTY
5g/.17oz	87005*	25
7.5g/.25oz	87007	25
10g/.35oz	87010	25
12.5g/.45oz	87012	25
15g/.50oz	87015	25
17.5g/.625oz	87017	25
20g/.70oz	87020	25
22.5g/.80oz	87022	25
25g/.90oz	87025	25
27.5g/.975oz	87027	25

SIZE g / oz.	PRODUCT NUMBER	BOX QTY
30g/1.00oz	87030	25
32.5g/1.105oz	87032	25
35g/1.25oz	87035	25
37.5g/1.275oz	87037	25
40g/1.40oz	87040	25
45g/1.60oz	87045	25
50g/1.75oz	87050	25
55g/1.95oz	87055	25
60g/2.10oz	87060	25



See Pg. 8-8 for
Wheel Weight Tools

* The 5g FN weight is a steel clip on weight - NOT ZINC

IMPORT PASSENGER CAR WHEEL BALANCING WEIGHTS FOR ALLOY WHEELS



Zn Zinc IAW Series

Used on many new Ford Models, on most European vehicles and certain Asian vehicles equipped with alloy wheels. Fits many brands like Audi, BMW, Cadillac, Jaguar, Kia, Nissan, Toyota, Volkswagen & Volvo.

See Pg. 8-8 for
Wheel Weight Tools



SIZE oz.	PRODUCT NUMBER		BOX QTY
	Uncoated	Coated	
1/8 (5gr.)	--	92012	25
1/4 (10gr.)	91025	92025	25
1/2 (15gr.)	91050	92050	25
3/4 (20gr.)	91075	92075	25
7/8 (25gr.)	91087	92087	25
1 (30gr.)	91100	92100	25
1-1/4 (35gr.)	91125	92125	25

SIZE oz.	PRODUCT NUMBER		BOX QTY
	Uncoated	Coated	
1-3/8 (40gr.)	91137	92137	25
1-1/2 (45gr.)	91150	92150	25
1-3/4 (50gr.)	91175	92175	25
2 (55gr.)	91200	92200	25
2-1/4 (60gr.)	91225	92225	25
2-1/2	--	--	25
2-3/4	--	--	25
3	--	--	25



PASSENGER TRUCK WHEEL BALANCING WEIGHTS FOR ALUMINUM ALLOY WHEELS

Zn Zinc TN Series

Used on most domestic light trucks equipped with decorative and larger thickness steel wheels and most light-trucks equipped with alloy wheels.

Fits steel wheels with a thicker than standard rim flange and light-trucks with non-commercial alloy rims.



SIZE oz.	PRODUCT NUMBER	BOX QTY
1/4	98525	25
1/2	98550	25
3/4	98575	25
1	98600	25
1-1/4	98625	25
1-1/2	98650	25
1-3/4	98675	25
2	98700	25

SIZE oz.	PRODUCT NUMBER	BOX QTY
2-1/4	98725	25
2-1/2	98750	25
2-3/4	98775	25
3	98800	25
3-1/4	98850	25
3-1/2	98875	25
3-3/4	98900	25
4	98950	25

See Pg. 8-8 for
Wheel Weight Tools



PASSENGER TRUCK WHEEL BALANCING WEIGHTS FOR STEEL WHEELS

Pb Lead I7 Series

The most commonly used weight on heavy-duty trucks (larger than 26,000 lbs GVWR) with steel rims. Fits medium-duty steel wheels and older light-duty trucks with thicker than standard rim flanges



SIZE oz.	PRODUCT NUMBER	BOX QTY
1	87100	25
1-1/2	87150	25
2	87200	25
2-1/2	87250	25
3	87300	25

SIZE oz.	PRODUCT NUMBER	BOX QTY
3-1/2	87350	25
4	87400	25
5	87500	25
6	87600	25

See Pg. 8-8 for
Wheel Weight Tools

WHEEL WEIGHTS

IMPORT PASSENGER CAR WHEEL BALANCING WEIGHTS FOR ALLOY WHEELS

Used on Audi, Mercedes-Benz, Volkswagen and very early-model Japanese vehicles equipped with alloy wheels. Fits brands like Acura, Audi, Ford, Honda, Mercedes-Benz & Volkswagen.



Zn

Zinc EN Series

SIZE oz.	PRODUCT NUMBER	BOX QTY
10g	98310	50
15g	98315	50
20g	98320	50
25g	98325	50
30g	98330	50
35g	98335	50

SIZE oz.	PRODUCT NUMBER	BOX QTY
40g	98340	50
45g	98345	50
50g	98350	50
55g	98355	50
60g	98360	50



See Pg. 8-8 for
Wheel Weight Tools

PASSENGER CAR WHEEL BALANCING WEIGHTS FOR CONVENTIONAL STEEL RIMS

The most common weight for steel wheels. Use on all standard passenger car 13" - 17" steel wheels.



Fe

Steel P Series

SIZE oz.	PRODUCT NUMBER	BOX QTY
1/4	90025	50
1/2	90050	50
3/4	90075	50
1	90100	50
1-1/4	90125	50
1-1/2	90150	50

SIZE oz.	PRODUCT NUMBER	BOX QTY
1-3/4	90175	50
2	90200	50
2-1/4	90225	50
2-1/2	90250	50
2-3/4	90275	50
3	90300	50



See Pg. 8-8 for
Wheel Weight Tools

IMPORT PASSENGER CAR WHEEL BALANCING WEIGHTS FOR ALLOY WHEELS

Zn

ADHESIVE TYPE WEIGHT

Used on AUDI, Land Rover, Mercedes Benz, Porsche, VW, Volvo



Low-profile premium zinc adhesive weight used where standard profile does not provide sufficient clearance area to brake and steering parts. Weights of 5 gram feature a single segment; weights of 10-25 gram feature two segments; weights of 30-35 gram feature three segments; weights of 40-50 gram feature four segments; weights 55-60 gram feature five segments.

SIZE oz.	PRODUCT NUMBER	BOX QTY
5g	99105	25
10g	99110	25
15g	99115	25
20g	99120	25
25g	99125	25
30g	99130	25

SIZE oz.	PRODUCT NUMBER	BOX QTY
35g	99135	25
40g	99140	25
45g	99145	25
50g	99150	25
55g	99155	25
60g	99160	25

See Pg. 8-8 for Wheel Weight Tools

ADHESIVE WHEEL WEIGHTS

- Pre-Cut and pre-taped
- Use where wheel will not accept a clip type weight
- Use on the back side of wheel for appearance
- Clean rim with IES Super Clean before applying

Product No. 93001

Standard Profile Adhesive Weight
 1/4 oz. (7 gram) segments
 30 - 3 oz. Strips per Box
 360 segments per box

Pb Lead



Product No. 93002*

Low Profile Adhesive Weight
 1/4 oz. (7 gram) segments
 52 - 3 oz. strips per box
 624 segments per box

Pb Lead



Product No. 93003 *Designed for trucks and RV's!*

Standard Profile Adhesive Weight
 1/2 oz. (14 gram) segments
 30 - 6 oz. strips per box
 360 segments per box


Pb Lead



Product No. 93004 *Designed for trucks and RV's!*

Standard Profile Adhesive Weight
 1 oz. (28 gram) segments
 30 - 6 oz. strips per box
 180 segments per box

Pb Lead



Product No. 93007*

Low Profile - Nano Steel - Coated For Protection
 1/4 oz. (7 gram) Segements
 52 - 3 oz. strips per box
 624 segments per box

Fe Steel



Product No. 93010 *Designed for trucks and RV's!*

Standard Profile Adhesive Weight
 2 oz. (56 gram) segments
 8 - 12 oz. strips per box
 48 segments per box

Pb Lead




***NOTE:** Use Product No. 93002, #93007, #93006 or #96008 on imports and sports cars where the brake caliper clearance knocks off standard thickness adhesive type weights.

WHEEL WEIGHTS

STEEL Pre-Segmented Adhesive Wheel Weights On A Roll

The perfect option for the environment.
 No measuring, no cutting.
 Easy to tear paper backing reduces installation time.
 OE adhesive - sticks fast and holds longer.



93005

Standard Profile
 Steel Adhesive Weight
 0.25 Ounce Increments
 20 Pounds Per Roll
 1,280 Increments Per Roll
 Box Qty. 1

93006

Low Profile
 Steel Adhesive Weight
 5 Gram Increments
 16.5 Pounds Per Roll
 1,500 Increments Per Roll
 Box Qty. 1

93008

Low Profile
 Nano Coated Adh. Weight
 1/4 oz. Increments
 20 Pounds Per Roll
 1,250 Increments Per Roll
 Box Qty. 1

93009

Standard Profile
 Nano Coated Adh. Weight
 1/2 oz. Increments
 20 Pounds Per Roll
 640 Increments Per Roll
 Box Qty. 1

8 Wheel Weights / Tire Repair

8

93000

Wheel Weight Stand
 For Adhesive Wheel Weights
 93005, 93006, 93008, 93009
 Heavy-Duty Construction
 Holds two boxes at a time!
 Box Qty. 1



93199

Wheel Weight
 Pre-Cleaning Wipes
 For Adhesive Wheel Weights
 9" x 12" Wipes
 70 Wipes per canister.
 Box Qty. 6 canisters



www.srfast.com

WHEEL WEIGHTS ASSORTMENTS

The CWW155Z and CWW075Z assortments include a bin and rack storage system that is color coded to match the cataloging and packaging. This simplifies installation and storage of the installer's wheel weights.



(35.75"W x 8.25"D x 39 "H)

CWW155Z SPECIAL ORDER ONLY

The CWW155Z is the most popular OEM zinc table-top assortment. A comprehensive table-top clip-on wheel weight kit that includes all eight standard clip types needed for nearly all of today's passenger car market. It contains all seven coated alloy weights (and P steel weights) needed to balance today's passenger car market and is a practical starter kit for most installers.

TOTAL CLIP-ON WEIGHTS 1,525 pieces

Included in this assortment:

- OEM Wheel Weights
- Rack Stand and Colored Bins
- Alloy Soft-Head Wheel Weight Hammer
- OE Alloy Weight Application Guide
- OE Alloy Application Wall Chart
- Two (2) Passenger Car Rim Gauges
- Header Card and Bin Labels

CWW155NLE SPECIAL ORDER ONLY

The CWW155E is the bin and rack storage system for the CWW155. System is color coded to match the cataloging and packaging. **NO WHEEL WEIGHTS/TOOLS**
Box Qty. 1



(36"W x 14.5"D x 67"H)

CWW075Z SPECIAL ORDER ONLY

The CWW075Z is a new OEM zinc master assortment. A comprehensive floor-standing clip-on wheel weight kit that includes all eight standard clip types needed for nearly all of today's passenger car market.

TOTAL CLIP-ON WEIGHTS 2,325 pieces

Included in this assortment:

- OEM Wheel Weights
- Rack Stand and Colored Bins
- Alloy Soft-Head Wheel Weight Hammer
- OE Alloy Weight Application Guide
- OE Alloy Application Wall Chart
- Two (2) Passenger Car Rim Gauges
- Header Card and Bin Labels

CWW075E SPECIAL ORDER ONLY

The CWW075E is the bin and rack storage system for the CWW075. System is color coded to match the cataloging and packaging. **NO WHEEL WEIGHTS/TOOLS**
Box Qty. 1

WHEEL WEIGHT TOOLS/TIRE REPAIR



96116
Wheel weight installation and removal tool. Plastic coated handles.
Box Qty. 1



96118
A wheel weight hammer for coated weights. "Soft Head" design that facilitates the installation and removal of coated wheel weights without damaging the wheel or the special wheel weight coating.
Box Qty. 1



96121
Extra heavy head provides striking force needed to install TAL weights. Small diameter hammer face allows for concentration of this force precisely on the clip.
Box Qty. 1



96122
Primarily used for the large truck steel wheel weights. "Clip Claw" design is ideal for removing weights that have minimum tire/wheel flange clearance.
Box Qty. 1



96123
Heavy duty, hardened steel removal tool makes taking off even the toughest weights easy.
Box Qty. 1



96126
Adhesive wheel weight removal tool.
Box Qty. 1



KX62Y
Tire Marking Crayon (Yellow)
Use to mark on rubber tires prior to repair
Box Qty. 12



KX80221
Tire Marking Paint-stick (Yellow)
Box Qty. 12



KX1208
Tire / Tube Mounting Compound
8lbs.
Box Qty. 4



KX490F
Buffing Solution
Quart
Box Qty. 6



KX491F
Buffing Solution
16 oz. Aerosol
Box Qty. 12



KX507F
Tire Bead Sealer
Quart brush-top can
Box Qty. 6



KX508F
Liner Sealer
16 oz. brush-top can
Box Qty. 6



KX511F
Super Fast Drying Cement
8 oz. brush-top can
Box Qty. 10



KX73
Mounting paste brush for cars / light trucks
Box Qty. 1



KX81501C
Tire Mounting Lubricant Concentrated-Gallon
Box Qty. 4



KX2990
Cotton Lube Swab
Box Qty. 1

TIRE REPAIR



Double Rubber Reinforced Radial Patches

Designed for radial and bias tire repair.

Prod. #	Size	Box Qty.
11312	1-9/16" Mini Round	10
11320	1-9/16" Mini-Round	35
11321	2-3/8" Small Round	20
11314	3-1/8" Medium Round	10
11322	3-1/8" Medium Round	18



Tire Patch/Plugs

Prod. #	Size	Box Qty.
KX386	1-1/4" Dia., 1/8" Stem Dia.	24
KX387	1-7/8" Dia., 1/4" Stem Dia.	25
KX388	1-7/8" Dia., 3/8" Stem Dia.	25



KX2PCP

2-Pc Passenger Repair Kit
(50 Repairs)
1/4" Stem units with pilot wire,
2-1/4" Medium round patches
Box Qty. 1 kit



KX2PCT

2-Pc Truck Repair Kit
(25 Repairs)
3/8" Stem units with pilot wire,
3-1/4" Large round patches
Box Qty. 1 kit



KX365

Deluxe Tire Repair Kit/Temporary Repairs

A popular kit that includes chrome handle spiral probe, chrome handle insertion needle, insertion lube, 50 repair plugs, razor blade, allen wrench (for tools) and instruction guide, all in a heavy-duty molded case.
Box Qty. 1



Tire Plugs

Prod. #	Size	Box Qty.
KX361	4" Brown Tire Plugs (Thick)	50
KX370	7" Black Tire Plugs (Narrow)	50



KX928

Metal T-Handle
Insertion Tool
Box Qty. 1



11331

Chrome Spiral Probe
Box Qty. 1



KX190

Awl
Screwdriver Handle
Box Qty. 1



KX30

Ball Bearing Stitcher
1 1/4 x 1/8
Box Qty. 1



KX929

Flexible Skiving
Knife
Round End
Box Qty. 1



KX932

Rubber Scraper
Box Qty. 1



KX6014

Brass Brush
Stiff
Box Qty. 1

TIRE REPAIR



KX185
Tire Thread Depth Gauge
Reads 0" to 1" in
1/32 increments
Box Qty. 5



KXCC3
Carbide Cutter
1/8" (3mm)
Box Qty. 1



KXCC6
Carbide Cutter
1/4" (6mm)
Use with 1/4" Stems
Box Qty. 1



KXCC8
Carbide Cutter
5/16" (10mm)
Box Qty. 1



KXCC10
Carbide Cutter
3/8" (10mm)
For use with 3/8" Stems
Box Qty. 1



KX34
Buffing Wheel
2-1/2" Dia.
Fine Grit
Box Qty. 1



KXTCW21080
Buffing Rasp
80 Grit
Box Qty. 1




KXRH107
Rubber Hog Buffing Wheel
60 Grit
Dia: 2-1/2"
Width: 1-1/16"
Bore: 3/8"
Box Qty. 1




KXRH109
Rubber Hog Buffing Wheel
36 Grit
Dia: 2-1/2"
Width: 1-1/16"
Bore: 3/8"
Box Qty. 1



KX6066
2-1/4" Threaded
Quick Release Arbor
3/8", 24-T
Box Qty. 1



KX6068
For Use With KXCC6
Quick Release Adapter
w/Set Screws
for 1/4" Shank
Box Qty. 1



KX6068-125
For Use With KXCC3
Quick Release Adapter
w/Set Screws
for 1/8" Shank
Box Qty. 1



KX6069
For Use with KXCC8
Quick Release Adapter
w/Set Screws
for 5/16" Shank
Box Qty. 1



KX5196593
For Use with KXCC10
Quick Release Adapter
w/Set Screws
for 3/8" Shank
Box Qty. 1



TIRE REPAIR / VALVES



KXCP873K
Low Speed Tire Buffer
QR Chuck
2800 RPM
Box Qty. 1



KX795
Air Vacuum Kit
For dry items,
includes bag
Box Qty. 1



KX3050-RB
Deluxe Tire Spreader Machine
Portable
Box Qty. 1



- 11384** Black plastic valve caps Box Qty. 100
- 11382** Gray plastic valve caps Box Qty. 100
- 11383** Green plastic valve caps Box Qty. 100
- KX40** Chrome valve caps Hex Head Box Qty. 100



Plastic Tire Valve Extenders

Product No.	Length	Pkg. Qty.
11510	3/4"	50
11520	1-1/4"	50

Tire Valves



Industry Number	Rim Hole Size	Length	Prod. No. Pkg. 10	Prod. No. Pkg. 25	Prod. No. Pkg. 100
TR-413	.453"	1-1/4"	11401	11385	11390
TR-418	.453"	2"	11402	11386	11391
TR-423	.453"	2-1/2"	11403	11387	11392
TR-413	.453"	1-1/4"	11401-500	<i>(500 pack)</i>	
TR-418	.453"	2"	11402-500	<i>(500 pack)</i>	

11410

High Pressure Snap-in Valve
Ind. #: TR600HP
Eff. Length: 1.27"
Valve Hole Dia: .453"
Max. Cold Inflation Pressure: 80 psi
Not for use on tire rims that exceed .205" in thickness.
Box Qty. 25



11411

High Pressure Snap-in Valve
Ind. #: TR602HP
Eff. Length: 2" Valve
Hole Dia: .453"
Max. Cold Inflation Pressure: 80 psi
Not for use on tire rims that exceed .205" in thickness.
Box Qty. 25



11412

High Pressure Snap-in Valve
Ind. #: TR801HP
Eff. Length: 1.25"
Valve Hole Dia: .625"
Max. Cold Inflation Pressure: 80 psi
Not for use on tire rims that exceed .205" in thickness.
Box Qty. 25



11413

High Pressure Snap-in Valve
Ind. #: TR802HP
Eff. Length: 2"
Valve Hole Dia: .625"
Max. Cold Inflation Pressure: 80 psi
Not for use on tire rims that exceed .205" in thickness.
Box Qty. 25



VALVES / KITS



KXTR413C
 Chrome
 Snap-in Valve
 Ind. #: TR413 (Chrome)
 Valve Hole Dia: .453"
 Valve Size: 1-1/4" (31mm)
 Box Qty. 25



11415
 Tire Valve Core
 High Temp
 Small Bore (TRC1)
 Box Qty. 25



KX36
 Tire Valve Core
 High Temp
 Large Bore (TRC2)
 Box Qty. 25



KX6-124
 TPMS Aluminum Valve
 Service Pack
 Box Qty. 1



KX6-207A
 TPMS Rubber Snap In Valve
 80psi max cold inflation pressure,
 Max Speed rating 115 MPH, T-10
 Screw Torque 11.5in-lbs
 Box Qty. 1



KX6-208
 TPMS Rubber Snap In Valve
 For Chrysler, Dodge, Fiat, Jeep,
 Mitsubishi, Nissan
 T-10 Screw Torque-12.5 in-lbs
 Box Qty. 1



KX6-234
 TPMS Aluminum Clamp
 In Valve
 115psi max cold inflation pressure,
 Max Speed rating 155 MPH, TPMS
 Nut Torque 62in.-lbs. T-10 Screw
 Torque 11.5in-lbs
 Box Qty. 1



KXPREM-TPMSB3
 Prema U-Pro TPMS Starter Bundle.
 Includes Diagnostic Tool, OBDII Module,
 16 KXPREM-315R Sensors, 4 KXPREM-433R
 Sensors, User CD, Universal Charger.
 Box Qty. 1



KXPREM-315R
 Prema U-Pro 315MHz
 Programmable Sensor with
 Rubber Snap-In Valve.
 Works with KXPREM-TPMSB3 tool.
 Box Qty. 5



KXPREM-433R
 Prema U-Pro 433MHz
 Programmable Sensor with
 Rubber Snap-In Valve.
 Works with KXPREM-TPMSB3 tool.
 Box Qty. 5



KX26KNH
 Tire Repair
 Cabinet Kit
 16 items
 Heavy Duty Steel
 Cabinet
 Box Qty. 1

- Kit Includes:**
- KX2PCP - 2 Piece Passenger Repair Kit
 - KXTCW21080 - 80 Carbide Cup Wheel
 - KX929 - Flexible Skiving Knife
 - KX190 - Awl
 - KXCP873K - Low Speed QR Tire Buffer
 - KX6068 - QR Adapter 1/4" Shank
 - KX6066 - QR Arbor (Threaded)
 - KX387 - 1/4 Stem Carbide Cutter 6mm
 - KX30 - Ball Bearing Stitcher
 - KXCC6 - 1/4 Stem Carbide Cutter
 - KX6014 - Brass Bristle Brush
 - KX932 - Rubber Tire Scraper
 - KX511F - Fast Drying Chemical Cement
 - KX508F - Liner Sealer
 - KX491F - Aerosol Buffing Solution
 - KX795 - Air Vacuum



KX10400001
 TPMS TORQUE KIT
 Allows the technician to
 install the valve and sensor
 correctly making sure all
 torque settings are applied.
 Box Qty. 1

Includes: Torque Wrench Kit, Torque Tool For Valve and Sensor Assembly, Valve Core Torque Tool, Rubber Grommet Removal Tool, Rubber Grommet Pick Tool, T5 and T10 Torx Head, Sleeve For Torque Wrench, Valve Core Tool.