Safety Data Sheet

Issue Date: 01-Jun-2004	Revision Date: 28-Mar-2014		Version 1
	1. IDENTIFICATION		
<u>Product Identifier</u> Product Name	8010 Epoxyflex Inter-Mix 5 Hardener		
Other means of identification SDS #	IES-FO8010H		
Recommended use of the chemic Recommended Use	<u>al and restrictions on use</u> Repair Adhesive/Surfacer.		
Details of the supplier of the safet Supplier Address International Epoxies & Sealers 30241 Commerce Drive San Antonio, FL 33576	ry data sheet		
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	1-800-451-7206 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)		
	2. HAZARDS IDENTIFICATION		
Appearance Thick white paste	Physical State Paste		Odor Mercaptan
Classification			
Carcinogenicity		Category 2	
<u>Signal Word</u> Warning			
Hazard Statements Suspected of causing cancer			
Precautionary Statements - Preve	ntion		

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards Causes mild skin irritation Unknown Acute Toxicity

67.1% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Mercaptan Polymer	TRADE SECRET	40-60
Talc	14807-96-6	30-50
2,4,6-tri(dimethylaminomethyl)phenol	90-72-2	5-10
Titanium dioxide	13463-67-7	0.5-1.0
Quartz	14808-60-7	0-1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes.	
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Seek medical attention.	
Most important symptoms and effects		

Symptoms Mild eye, skin, and/or respiratory irritation. Exposed individuals may experience eye tearing, redness and discomfort. Will cause gastrointestinal tract irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> CO2, dry chemical, foam and water fog.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas.
Methods and material for containn	nent and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so. Contain with inert material.
Methods for Clean-Up	Soak up with inert absorbent material. Place in appropriate containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep locked up and out of reach of children.
Incompatible Materials	Acids, Amines, Mercaptans, Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Talc	TWA: 2 mg/m ³ particulate matter	(vacated) TWA: 2 mg/m ³	IDLH: 1000 mg/m ³
14807-96-6	containing no asbestos and <1%	respirable dust <1% Crystalline	TWA: 2 mg/m ³ containing no
	crystalline silica, respirable	silica, containing no Asbestos	Asbestos and <1% Quartz
	fraction	TWA: 20 mppcf if 1% Quartz or	respirable dust
		more, use Quartz limit	
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
13463-67-7	-	(vacated) TWA: 10 mg/m ³ total	-
		dust	

Quartz	TWA: 0.025 mg/m ³ respirable	(vacated) TWA: 0.1 mg/m ³	IDLH: 50 mg/m ³ respirable dust
14808-60-7	fraction	respirable dust	TWA: 0.05 mg/m ³ respirable
		: (30)/(%SiO2 + 2) mg/m ³ TWA	dust
		total dust	
		: (250)/(%SiO2 + 5) mppcf TWA	
		respirable fraction	
		: (10)/(%SiO2 + 2) mg/m ³ TWA	
		respirable fraction	

Appropriate engineering controls

Engineering Controls	Mechanical ventilation or local exhaust ventilation is recommended.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Goggles.
Skin and Body Protection	Solvent resistant gloves. Wear suitable protective clothing.
Respiratory Protection	Wear an appropriate NIOSH/MSHA approved respirator if ventilation is inadequate.
General Hygiene Consideratior	Avoid contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Appearance Color	Paste Thick white paste White	Odor Odor Threshold	Mercaptan Not determined
Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties VOC Content	ValuesNot determinedNot determined> 93.33 °C / > 200 °FNot determinedNot determined<	Remarks • Method	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks. Keep out of reach of children.

Incompatible Materials

Acids, Amines, Mercaptans, Strong oxidizing agents.

Hazardous Decomposition Products

HES, AMINES, CO, CO2, H2S, SO2, NO2.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	May cause temporary irritation on eye contact.
Skin Contact	Prolonged contact may cause redness and irritation.
Inhalation	May cause irritation if inhaled.
Ingestion	May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2,4,6-	= 1000 mg/kg (Rat)	= 1280 mg/kg (Rat)	-
tri(dimethylaminomethyl)phenol			
90-72-2			
Titanium dioxide	> 10000 mg/kg (Rat)	-	-
13463-67-7			
Quartz	= 500 mg/kg (Rat)	-	-
14808-60-7			

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Suspected of causing cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Talc 14807-96-6		Group 3		
Titanium dioxide 13463-67-7		Group 2B		Х

Quartz	A2	Group 1	Known	Х
14808-60-7				

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans Group 3 IARC components are "not classifiable as human carcinogens" NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Numerical measures of toxicity

Not determined

Unknown Acute Toxicity

67.1% of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Talc 14807-96-6		100: 96 h Brachydanio rerio g/L LC50 semi-static		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

<u>Mobility</u>

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
2,4,6-		Included in waste stream:		
tri(dimethylaminomethyl)phe		K060		
nol				
90-72-2				

14. TRANSPORT INFORMATION Please see current shipping paper for most up to date shipping information, including

<u>Note</u>	Please see current shipping paper for m exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

International Inventories

Not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 $\textbf{DSL/NDSL} \ \text{-} \ \textbf{Canadian} \ \textbf{Domestic} \ \textbf{Substances} \ \textbf{List/Non-Domestic} \ \textbf{Substances} \ \textbf{List}$

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Not determined

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen
Quartz - 14808-60-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Talc 14807-96-6	Х	X	Х
Titanium dioxide 13463-67-7	Х	X	Х
Quartz 14808-60-7	Х	X	Х

16. OTHER INFORMATION

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards 2	Flammability Not determined Flammability 1	Instability Not determined Physical Hazards 0	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date: Revision Note:	01-Jun-2004 28-Mar-2014 New format			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet