# Safety Data Sheet

Issue Date: 01-Jun-2004	Revision Date: 28-Mar-2014	v	ersion 1
	1. IDENTIFICATION		
<u>Product Identifier</u> Product Name	8417/8617 Inter-Mix 5 Seam Sealer/Ad	Ihesive Resin	
Other means of identification SDS #	IES-FO8417RGN		
Recommended use of the chemic	al and restrictions on use		
Recommended Use	Sealer/Adhesive.		
Details of the supplier of the safe Supplier Address International Epoxies & Sealers 30241 Commerce Drive San Antonio, FL 33576 Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	ty data sheet 1-800-451-7206 INFOTRAC 1-352-323-3500 (Internationa	()	
, <b>(</b> , <b>)</b>	1-800-535-5053 (North America)	,	
	2. HAZARDS IDENTIFICAT	ON	
Appearance Black paste	Phys	ical State Paste	
<b>Classification</b>			
Skin corrosion/irritation		Category 2	]
Serious eye damage/eye irritation		Category 2	
Skin sensitization		Category 1	
Carcinogenicity		Category 2	

# <u>Signal Word</u> Warning

# Hazard Statements

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction Suspected of causing cancer



## **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection

## Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Get medical attention

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

#### **Precautionary Statements - Storage**

Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Toxic to aquatic life with long lasting effects Unknown Acute Toxicity

10-15% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Polymer of epichlorohydrin and bisphenol A	25085-99-8	80-90
Amorphous Silica	67762-90-7	6.15
Resin Blend	PROPRIETARY	5-10
(3-Glycidyloxypropyl)trimethoxysilane	2530-83-8	1-3
Carbon Black	1333-86-4	0-1

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

First Aid Measures	
General Advice	Provide this SDS to medical personnel for treatment.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Seek medical attention.

#### Most important symptoms and effects

Symptoms Eye, skin, and/or respiratory irritation. Exposed individuals may experience eye tearing, redness and discomfort. Will cause gastrointestinal tract irritation.

#### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

CO2, dry chemical, foam and water fog.

## Unsuitable Extinguishing Media Not determined.

## Specific Hazards Arising from the Chemical

Product is not flammable.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet.		
<b>Environmental Precautions</b>	Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information.		
Methods and material for containment and cleaning up			
Methods for Containment	Prevent further leakage or spillage if safe to do so. Contain with inert material.		
Methods for Clean-Up	Soak up with inert absorbent material. Place in appropriate containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations.		

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Keep out of the reach of children. Use personal protection recommended in Section 8. Wash face, hands, and any exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace.

## Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep locked up and out of reach of children.
Incompatible Materials	Acids, Amines, Mercaptans, Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Carbon Black	TWA: 3 mg/m <sup>3</sup> inhalable fraction	TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup>
1333-86-4	_	(vacated) TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>
			TWA: 0.1 mg/m <sup>3</sup> Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH

## Appropriate engineering controls

**Engineering Controls** Mechanical ventilation or local exhaust ventilation is recommended.

## Individual protection measures, such as personal protective equipment

Eye/Face Protection	Goggles.	
Skin and Body Protection	Solvent resistant gloves. Wear suitable protective clothing.	
Respiratory Protection	Wear an appropriate NIOSH/MSHA approved respirator if ventilation is inadequate.	
General Hygiene Consideration	<b>s</b> Avoid contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before reuse.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical State Appearance Color	Paste Black paste Black	Odor Odor Threshold	Not determined Not determined
Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limits Lower Flammability Limit Material V.O.C. Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties	ValuesNot determinedNot determinedNot determined> 93.33 °C / > 200 °FNot determinedNot determined	<u>Remarks • Method</u> (1=Water)	

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Not reactive under normal conditions.

## **Chemical Stability**

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

#### Conditions to Avoid

Heat, flames and sparks. Keep out of reach of children.

## Incompatible Materials

Acids, Amines, Mercaptans, Strong oxidizing agents.

# Hazardous Decomposition Products

HES, AMINES, CO, CO2, H2S, SO2, NO2.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation. May cause an allergic skin reaction.
Inhalation	May cause irritation if inhaled.
Ingestion	May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

## Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Polymer of epichlorohydrin and bisphenol A 25085-99-8	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	_
(3- Glycidyloxypropyl)trimethoxysilane 2530-83-8	= 22600 µL/kg (Rat)	= 3970 µL/kg (Rabbit)	_
Carbon Black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-

# Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

May cause an allergic skin reaction.

#### Carcinogenicity

Suspected of causing cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Carbon Black 1333-86-4	A3	Group 2B		Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

#### Numerical measures of toxicity

Not determined

**Unknown Acute Toxicity** 

10-15% of the mixture consists of ingredient(s) of unknown toxicity.

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Toxic to aquatic life with long lasting effects.

#### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Carbon Black 1333-86-4				5600: 24 h Daphnia magna mg/L EC50

## Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

**Mobility** 

# Not determined

#### **Other Adverse Effects**

Not determined

# **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **14. TRANSPORT INFORMATION**

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.	
DOT	Not regulated	
ΙΑΤΑ	Not regulated	
IMDG Marine Pollutant	This material may meet the definition of a marine pollutant	

# **15. REGULATORY INFORMATION**

## International Inventories

Not determined

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

# **US Federal Regulations**

SARA 313

Not determined

## **US State Regulations**

#### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Carbon Black - 1333-86-4	Carcinogen	

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Carbon Black	Х	Х	Х
1333-86-4			

# **16. OTHER INFORMATION**

NFPA
------

#### HMIS

**Health Hazards** Not determined **Health Hazards** 

01-Jun-2004

28-Mar-2014

New format

2

Flammability Not determined Flammability 1

Instability Not determined **Physical Hazards** 0

**Special Hazards** Not determined **Personal Protection** Not determined

Issue Date: **Revision Date: Revision Note:** 

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**