Safety Data Sheet

Issue Date: 22-Apr-2010 Revision Date: 28-Mar-2014 Version 1

1. IDENTIFICATION

Product Identifier

Product Name 8405/8605 Inter-Mix 10 Seam Sealer/Adhesive Hardener

Other means of identification

SDS # IES-FO8405H

Recommended use of the chemical and restrictions on use

Recommended Use Sealer/Adhesive.

Details of the supplier of the safety data sheet

Supplier Address

International Epoxies & Sealers 30241 Commerce Drive San Antonio, FL 33576

Emergency Telephone Number

Company Phone Number 1-800-451-7206

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

AppearanceThick white pastePhysical StatePasteOdorMercaptan

Classification

Carcinogenicity Category 2

Signal Word Warning

Hazard Statements

Suspected of causing cancer



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IES-FO8405H - **8405/8605 HARDENER** Revision Date: 28-Mar-2014

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

Unknown Acute Toxicity

70-80% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Mercaptan Polymer	TRADE SECRET	70-80
Benzyl alcohol	100-51-6	9.86
2,4,6-tri(dimethylaminomethyl)phenol	90-72-2	5-10
Amorphous Silica	67762-90-7	5-10
Zinc Phosphate	7779-90-0	1-3
Titanium dioxide	13463-67-7	0.5-1.0

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Immediately flush eyes thoroughly with water for at least 15 minutes. Get immediate

medical advice/attention.

Skin Contact Remove contaminated clothing. Wash the skin immediately with soap and water. Get

medical attention if irritation persists after washing. Wash contaminated clothing before

reuse.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison

center if individual's condition declines or if symptoms persist.

Ingestion Do not induce vomiting without medical advice. Seek medical attention immediately.

Most important symptoms and effects

Symptoms Mild eye, skin, and/or respiratory irritation. Exposed individuals may experience eye tearing,

redness and discomfort. Will cause gastrointestinal tract irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

CO2, dry chemical, foam and water fog.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for

additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Contain with inert material.

Methods for Clean-Up Soak up with inert absorbent material. Place in appropriate containers for disposal. Discard

any product, residue, disposable container or liner in full compliance with federal, state, and

Revision Date: 28-Mar-2014

local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep locked

up and out of reach of children.

Incompatible Materials Acids, Amines, Mercaptans, Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
13463-67-7		(vacated) TWA: 10 mg/m ³ total	
		dust	

Appropriate engineering controls

Engineering Controls Mechanical ventilation or local exhaust ventilation is recommended.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side shields or chemical goggles.

Skin and Body ProtectionSolvent resistant gloves. Wear suitable protective clothing.

Respiratory ProtectionWear an appropriate NIOSH/MSHA approved respirator if ventilation is inadequate.

General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before

eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before

reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Paste

AppearanceThick white pasteOdorMercaptanColorWhiteOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not determined

Melting Point/Freezing Point

Boiling Point/Boiling Range

Not determined

Not determined

Flash Point > 93.33 °C / > 200 °F

Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density
Not determined
Not determined
Not determined
Not determined
Not determined
Not determined

Specific Gravity 1.19-1.22 (1=Water)

Water Solubility Insoluble in water Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dvnamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks. Keep out of reach of children.

Incompatible Materials

Acids, Amines, Mercaptans, Strong oxidizing agents.

Hazardous Decomposition Products

HES, AMINES, CO, CO2, H2S, SO2, NO2.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact May cause temporary irritation on eye contact.

Skin Contact Prolonged contact may cause redness and irritation.

Inhalation May cause irritation if inhaled.

Ingestion May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol	= 1230 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
100-51-6			
2,4,6-tri(dimethylaminomethyl)phen	= 1000 mg/kg (Rat)	= 1280 mg/kg (Rat)	-
ol			
90-72-2			
Zinc Phosphate	> 5000 mg/kg (Rat)	-	-
7779-90-0			
Titanium dioxide	> 10000 mg/kg (Rat)	-	-
13463-67-7			

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Suspected of causing cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide		Group 2B		X
13463-67-7		·		

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

Unknown Acute Toxicity 70-80% of the mixture consists of ingredient(s) of unknown toxicity.

Revision Date: 28-Mar-2014

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Benzyl alcohol	35: 3 h Anabaena variabilis	460: 96 h Pimephales	EC50 = 50 mg/L 5 min	23: 48 h water flea mg/L
100-51-6	mg/L EC50	promelas mg/L LC50 static	EC50 = 63.7 mg/L 15 min	EC50
		10: 96 h Lepomis	EC50 = 63.7 mg/L 5 min	
		macrochirus mg/L LC50	EC50 = 71.4 mg/L 30 min	
		static	_	

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Benzyl alcohol	1.1
100-51-6	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
2,4,6-tri(dimethylaminomethy		Included in waste stream:		
l)phenol		K060		
90-72-2				

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Zinc Phosphate	Toxic
7779-90-0	

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

Revision Date: 28-Mar-2014

IATA Not regulated

<u>IMDG</u> Not regulated

15. REGULATORY INFORMATION

International Inventories

Not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Zinc Phosphate - 7779-90-0	7779-90-0	1-3	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc Phosphate		X		
7779-90-0 (1-3)				

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Benzyl alcohol 100-51-6		X	X
Zinc Phosphate 7779-90-0	X		X
Titanium dioxide 13463-67-7	Х	X	Х

IES-FO8405H - **8405/8605 HARDENER** Revision Date: 28-Mar-2014

16. OTHER INFORMATION

Health Hazards Special Hazards NFPA **Flammability** Instability Not determined Not determined Not determined Not determined **Health Hazards Flammability Physical Hazards Personal Protection HMIS** 1 Not determined

Issue Date:22-Apr-2010Revision Date:28-Mar-2014Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet